AUTHOR INDEX

VOLUME 66, 1991

British Journal of Anaesthesia

ARS = Anaesthetic Research Society papers
C = Correspondence
E = Editorial
R = Book review

ADRIAENSEN, H. F. *see* VERMEYEN, K. M. 504–508
AITKENHEAD, A. R. and SMITH, G., (editors) *Textbook of Anaesthesia*, 2nd Edn, (*R*) 149–150
ALAHUHTA, S., RÄSÄNEN, J., JOUPPILA, R., JOUPPILA, P., KANGAS-SAARELA, T. and HOLLMEN, A. I. Uteroplacental and fetal haemodynamics during extradural anaesthesia for Caesarean section 319–323
ALBRECHT-BESTE, E. *see* JØRGENSEN, L. N. 8–12
ALDERSON, J. D. and FROST, E. A. M., (editors) *Spinal Cord Injuries. Anaesthetic and Associated Care*, 1st Edn, (*R*) 632
ALDRIDGE, L. M., RAY, D. C., DRUMMOND, G. B., HOWIE, A. F. and BECKETT, G. J. Variation of plasma glutathione S transferase concentration in healthy volunteers, (*ARS*) 413–414P
ALI, M. A. *see* BLOCK, R. I. 170–178
ALLEN, R. W., JAMES, M. F. M. and UYS, P. C. Attenuation of the pressor response to tracheal intubation in hypertensive proteinuric pregnant patients by lignocaine, alfentanil and magnesium sulphate 216–223
ALLSOP, P., JORFELDT, L., RUTBERG, H., LENNMARKEN, C. and HALL, G. M. Delayed recovery of muscle pH after short duration, high intensity exercise in malignant hyperthermia susceptible subjects 541–545
AL-MUHANDIS, W. M. and PLEUVRY, B. J. Effect of propofol and etomidate on the convulsive action of laudanosine in mice, (*ARS*) 412P
AL-SAADY, N. M. *see* SIDHU, V. S., (*C*) 630
AL-SHAIKH, B. Effect of inspired oxygen concentration on the incidence of desaturation in patients undergoing total hip replacement 580–582
AMMAR, T. A. *see* WRIGLEY, S. R., (*ARS*) 407P
ANDREW, L. J. *see* JONES, R. D. M. 660–666
ANKER-MØLLER, E., SPANGSBERG, N., ARENDT-NIELSEN, L., SCHULTZ, P., KRISTENSEN, M. S. and BJERRING, P. Subhypnotic doses of thiopentone and propofol cause analgesia to experimentally induced acute pain 185–188
APS, C. *see* LAISHLEY, R. S. 250–252
ARENDT-NIELSEN, L. *see* ANKER-MØLLER, E. 185–188
ARMSTRONG, P., RAE, P. W. H., GRAY, W. M. and SPENCE, A. A. Nitrous oxide and formiminoglutamic acid: excretion in surgical patients and anaesthetists 163–169
ARNDT, J. O. *see* KLEMENT, W. 189–195
AROMAA, U. *see* KALSO, E. 614–616
ARVIEUX, C. C., VIDECOQ, M., RAMSAY, J. G., STONE, J. G., FOËX, P. and RYDER, W. A. Dose-related effects of isoflurane associated with low plasma concentrations of verapamil on global and regional function in normal and compromised canine myocardium 673–682
ASBURY, A. J. *see* HICKEY, S. 345–352; MCCLYMONT, W., (*ARS*) 405P; ROBB, H. M. 358–364
AVRAMOV, M. N., MURAYAMA, T., SHINGU, K. and MORI, K. Electroencephalographic changes during vital capacity breath induction with halothane 212–215

BACON-SHONE, J. *see* JONES, R. D. M. 660–666
BADEN, J. M. and FUJINAGA, M. Effects of nitrous oxide on day 9 rat embryos grown in culture 500–503
BAKER, D. J. *see* TURNER, G. A. 365–369
BANNISTER, J. *see* BROCKWAY, M. S. 31–37
BARAKA, A. Rapid onset of suxamethonium block, (*C*) 733
BARAKA, A. *see* SIBAI, A. N. 591–595
BARBER, N. D. *see* COTTER, S. M., (*ARS*) 408–409P
BARBIERI, A. *see* CAVAZZUTI, M. 490–495
BARKER, P., TROTTER, T. and HANNING, C. D. Study of the effect of Picolax bowel preparation on body weight, cardiovascular variables and haemoglobin concentration, (*ARS*) 410–411P
BARNARD, M. J., PETROS, A. J. and CARLI, F. Continuous spinal anaesthesia with a 28-gauge catheter, (*ARS*) 411–412P
BARRETT, R. F. *see* MURPHY, P. M. 300–304
BARSOUM, L. Z. *see* SURY, M. R. J., (*C*) 145
BASMACIOGULLARI, A. *see* QUINTIN, L. 108–115
BEATTY, P. C. W. *see* DROPPERT, P. M. 638–642
BECKETT, G. J. *see* ALDRIDGE, L. M., (*ARS*) 413–414P
BEEMER, G. H., BJORKSTEN, A. R., DAWSON, P. J., DAWSON, R. J., HEENAN, P. J. and ROBERTSON, B. A. Determinants of the reversal time of competitive neuromuscular block by anticholinesterases 469–475
BELLAÏCHE, S., BONNET, F., SPERANDIO, M., LEROUGE, P., CANNET, G. and ROUJAS, F. Clonidine does not delay recovery from anaesthesia 353–357
BENEDETTI, V., CHAPMAN, C. R. and GIRON, G., (editors) *Advances in Pain Research and Therapy 14: Opioid Analgesia*, (*R*) 277–278
BENEKE, J. *see* UNGERER, M. J., (*ARS*) 406P
BERG, H. *see* MOLLER, J. T. 437–444
VAN DEN BERGH, P. S. *see* UNGERER, M. J., (*ARS*) 406P
BERK, J. L. and SAMPLINER, J. E., (editors) *Handbook of Critical Care*, 3rd Edn, (*R*) 531
BEVAN, D. R. *see* DONATI, F. 557–561
BHATT, S. *see* OH, T. E. 258–263
BINGHAM, R. M. *see* ORLIKOWSKI, C. E. P. 253–257
BJERRING, P. *see* ANKER-MØLLER, E. 185–188
BJÖRKMAN, S. *see* REDKE, F. 53–59
BJORKSTEN, A. R. *see* BEEMER, G. H. 469–475
BLITT, C. D., (editor) *Monitoring in Anesthesia and Critical Care Medicine*, 2nd Edn, (*R*) 737
BLOCK, R. I., GHONEIM, M. M., SUM PING, S. T. and ALI, M. A. Human learning during general anaesthesia and surgery 170–178
BOER, F., ROS, P., BOVILL, J. G., VAN BRUMMELEN, P. and VAN DER KROGT, J. Propofol: effect on the myocardium compared with the peripheral vascular system, (*C*) 417
BOGOD, D. G. *see* BRIERLEY, J. K. 724–727
BOLSIN, S. *see* MANARA, A. R. 129–130
BOLSIN, S. N. *see* MANARA, A. R. 716–718
BONNET, F. *see* BELLAÏCHE, S. 353–357; QUINTIN, L. 108–115
BORGEAT, A. Usefulness of propofol in torticollis, (*C*) 530
BOVILL, J. G. *see* BOER, F., (*C*) 417; KALKMAN, C. J. 483–489; VAN ESSEN, E. J. 237–241
BOWER, S. *see* MISRA, U. 310–313
BOYD, S. G. *see* HIGGINS, D., (*ARS*) 399–400P; MASON, D. G., (*ARS*) 399P

BOYLAN, J. F. *see* PLOURDE, G. 683–691
BRACEY, B. *see* OOI, L. G. S., (*ARS*) 404P
BRAUDE, N., VYVYAN, H. A. L. and JORDAN, M. J. Intraoperative assessment of atracurium-induced neuromuscular block using double burst stimulation, (*ARS*) 403P
BRECKON, D. A. *see* JESSOP, J., (*ARS*) 400P
BREUCKING, E. *see* MORTIER, W., (*R*) 418
BRIERLEY, J. K., OATES, J. and BOGOD, D. G. Diagnostic and management dilemmas in a patient with tracheal trauma 724–727
BRISTOW, A., DALLOS, V. and HANSON, G., (editors) *Resuscitation and Training*, (*R*) 276
BRISTOW, A. *see* KEE, S. S. 141–144
BROADWAY, J. W. *see* RANDALLS, B. 314–318
BROCKWAY, M. *see* LEE, A., (*ARS*) 408P
BROCKWAY, M. S., BANNISTER, J., MCCLURE, J. H., MCKEOWN, D. and WILDSMITH, J. A. W. Comparison of extradural ropivacaine and bupivacaine 31–37
BROCKWAY, M. S. *see* NOBLE, D. W. 645–650
BROWN, J. *see* LOWSON, S. M. 465–468
BROWNE, D. A. *see* RANDALLS, B. 314–318
BRULL, S. J. and GREENE, N. M. Zones of differential sensory block during extradural anaesthesia 651–655
BUCHAN, A. S. *see* ROBISON, C. 228–231
BURNS, A. *see* PARK, G., (*C*) 528–529

CAIRO, J. M. *see* LEVITZKY, M. G., (*R*) 532
CALDER, I. Failed tracheal intubation, (*C*) 415–416
CALDER, I. *see* EWAH, B. 721–723
CAMPBELL, I. T. *see* ELLIS, F. R., (*E*) 535–537; NELSON, V., (*ARS*) 395P
CANNET, G. *see* BELLAÏCHE, S. 353–357
CARLI, F., WEBSTER, J., PEARSON, M., FORREST, J., VENKATESAN, S., WENHAM, D. and HALLIDAY, D. Postoperative protein metabolism: effect of nursing elderly patients for 24 h after abdominal surgery in a thermoneutral environment 292–299
CARLI, F. *see* BARNARD, M. J., (*ARS*) 411–412P; WILLIAMS, K. N. 38–44
CARRIE, L. E. S. Extradural, spinal or combined block for obstetric surgical anaesthesia, (*C*) 528
CARRIE, L. E. S. and COLLINS, P. D. 29-Gauge spinal needles, (*C*) 145–146
CASHMAN, J. *see* PRICE, M., (*ARS*) 409P
CASHMAN, J. N. *see* FENNER, S. G. 620–624
CAVAZZUTI, M., PORRO, C. A., BARBIERI, A. and GALETTI, A. Brain and spinal cord metabolic activity during propofol anaesthesia 490–495
CHADWICK, I. S. *see* HARPER, N. J. N., (*ARS*) 403–404P
CHAPMAN, C. R. *see* BENEDETTI, V., (*R*) 277–278
CHARLESWORTH, C. H. *see* NANDI, P. R. 157–162
CHOI, W. W. *see* FROM, R. P., (*C*) 416
CIESLA, N. *see* MACKENZIE, C. F., (*R*) 149
CLARKE, R. S. J. *see* DWYER, R. C. 572–579
COHEN, S. *see* NARCHI, P. 583–586
COLE, P. V. *see* FERGUSON, C., (*ARS*) 400P
COLLINS, P. D. *see* CARRIE, L. E. S., (*C*) 145–146
COMBES, P., GAYARD, J. P. and FAUVAGE, B. Minitracheotomy—impossible cannulation, (*C*) 275
CONTRERAS, M., (editor) *ABC of Transfusion*, 1st Edn, (*R*) 150
COOPER, A. *see* PLATT, M. 45–47
COOPER, P. and PAES, M. L. Bilateral chylothorax 387–390
CORMACK, R. S. *see* WILLIAMS, K. N. 38–44
COTTER, S. M., PETROS, A. J., BARBER, N. D. and WHITE, D. C. Cost of low flow anaesthesia, (*ARS*) 408–409P
COVINO, B. G. *see* FERRANTE, F. M., (*R*) 276–277
CUCCHIARA, R. F. and MICHENFELDER, J. D., (editors) *Clinical Neuroanaesthesia*, (*R*) 532–533
CUMMIN, A. R. C. *see* SIDHU, V. S., (*C*) 630

DAHAN, A. and WARD, D. S. Effect of i.v. midazolam on the ventilatory response to sustained hypoxia in man 454–457
DAHL, J. B. and KEHLET, H. Non-steroidal anti-inflammatory drugs: rationale for use in severe postoperative pain 703–712
DALLOS, V. *see* BRISTOW, A., (*R*) 276
DAWSON, P. J. *see* BEEMER, G. H. 469–475
DAWSON, R. J. *see* BEEMER, G. H. 469–475
DEAR, G. DE L. *see* SIDHU, V. S., (*C*) 527
DE HERT, S. G. *see* VERMEYEN, K. M. 504–508
DERRINGTON, M. C. and SCOTT, J. J. A. Masseteric muscle spasm, (*C*) 271
DE WET, J. I. *see* UNGERER, M. J., (*ARS*) 406P
DIEDERICKS, J. *see* UNGERER, M. J., (*ARS*) 406P
DOBB, G. J., (editor) *Clinical Anaesthesiology. Intensive Care: Developments and Controversies*, (*R*) 736
DOLIN, S. J. *see* SOAR, J., (*ARS*) 398P
DONATI, F., GILL, S. S., BEVAN, D. R., DUCHARME, J., THEORET, Y. and VARIN, F. Pharmacokinetics and pharmacodynamics of atracurium with and without previous suxamethonium administration 557–561
DORAN, B. R. H. *see* GASSER, A. J., (*ARS*) 402P
DORÉ, C. J. *see* NANDI, P. R. 157–162
DROPPERT, P. M., MEAKIN, G., BEATTY, P. C. W., MORTIMER, A. J. and HEALY, T. E. J. Efficiency of an enclosed afferent reservoir breathing system during controlled ventilation 638–642
DROST, R. H. *see* IONESCU, T. I. 458–464
DRUMMOND, G. B. "Keep a clear airway", (*E*) 153–156
DRUMMOND, G. B. *see* ALDRIDGE, L. M., (*ARS*) 413–414P; LOGAN, M. R. 433–436; MORRISON, L. M. 656–659
DUCHARME, J. *see* DONATI, F. 557–561
DUNDEE, J. W. *see* MCMILLAN, C., (*ARS*) 410P
DUNNE, N. M. and KOX, W. J. Neurological complications following with use of continuous extradural analgesia with bupivacaine 617–619
DUTTON, D. A. and HOWIE, J. E. Extradural, spinal or combined block for obstetric surgical anaesthesia, (*C*) 528
DWYER, R. C., FEE, J. P. H., HOWARD, P. J. and CLARKE, R. S. J. Arterial washin of halothane and isoflurane in young and elderly adult patients 572–579

ECOFFEY, C. *see* SAINT-MAURICE, C., (*R*) 736
VAN EE, R. and VAN OENE, J. C. Effect of ketanserin on intraoperative blood loss during total hip arthroplasty in elderly patients under general anaesthesia 496–499
EHRLY, A. M., FLECKENSTEIN, W., HAUSS, J. and HUCH, R., (editors) *Clinical Oxygen Pressure Measurement II*, (*R*) 418
ELLIOTT, P. *see* MCCARTHY, G., (*ARS*) 397–398P; 713–715
ELLIS, F. R., GREEN, J. H. and CAMPBELL, I. T. Muscle activity, pH and malignant hyperthermia, (*E*) 535–537
ELLIS, F. R. *see* HOPKINS, P. M. 611–613
ELPHINSTONE, M. E. *see* KEENAN, G. M. A. 242–246
ENEVER, G. *see* RAFTERY, S. 566–571
ENTWISTLE, M. D., ROE, P. G., SAPSFORD, D. J. and JONES, J. G. Nocturnal patterns of oxygen saturation following thoracotomy, (*ARS*) 396–397P
ERPELS, F. A. *see* VERMEYEN, K. M. 504–508
ESPERSEN, K. *see* MOLLER, J. T. 437–444
VAN ESSEN, E. J., BOVILL, J. G. and PLOEGER, E. J. Extradural clonidine does not potentiate analgesia produced by extradural morphine after meniscectomy 237–241
EVANS, K. *see* FERGUSON, C., (*ARS*) 400P
EWAH, B. and CALDER, I. Intraoperative death during lumbar discectomy 721–723
EWART, M. C. *see* ORLIKOWSKI, C. E. P. 253–257

FAHY, L. T. *see* SHEARER, E. S. 551–556
FAIRFIELD, J. E. *see* WRIGLEY, S. R., (*ARS*) 407P
FAUVAGE, B. *see* COMBES, P., (*C*) 275
FEE, J. P. H. *see* DWYER, R. C. 572–579; MCKINNEY, M. S., (*ARS*) 413P
FENNER, S. G. and CASHMAN, J. N. Anaesthesia and congenital agranulocytosis: influence of anaesthetic agent on neutrophil numbers in a patient with Kostmann's syndrome 620–624
FERGUSON, C., HERDMAN, M., EVANS, K., HAYES, M. and COLE, P. V. Flow resistance of the laryngeal mask in awake subjects, (*ARS*) 400P
FERRANTE, F. M., OSTHEIMER, G. W. and COVINO, B. G., (editors) *Patient Controlled Analgesia*, (*R*) 276–277
FINFER, S. R. Pacemaker failure on induction of anaesthesia 509–512
FITZGEORGE, R. B. *see* MURPHY, P. M. 300–304
FLECKENSTEIN, W. *see* EHRLY, A. M., (*R*) 418
FLYNN, P. J. *see* SURESH, D. 200–204
FOËX, P. *see* ARVIEUX, C. C. 673–682; MUIR, A. D., (*ARS*) 396P; REEDER, M. K., (*ARS*) 412–413P
FORREST, J. *see* CARLI, F. 292–299
FREI, F. J., ZBINDEN, A. M., THOMSON, D. A. and RIEDER, H. U. Is the end-tidal partial pressure of isoflurane a good predictor of its arterial partial pressure? 331–339
FROM, R. P., PEARSON, K. S., CHOI, W. W. and SOKOLL, M. D. Studies on mivacurium, (*C*) 416
FROST, E. A. M. *see* ALDERSON, J. D., (*R*) 632
FUJINAGA, M. *see* BADEN, J. M. 500–503
FUNG, C. *see* HANNA, M. H. 103–107
FURNESS, P. *see* JESSOP, J., (*ARS*) 400P

GALETTI, A. *see* CAVAZZUTI, M. 490–495
GALLETLY, D. C. *see* SHORT, T. G. 13–19
GAO, F., MARSHALL, R. W. and VICKERS, M. D. Effect of low concentrations of nitrous oxide and isoflurane on peak velocity of saccadic eye movements 179–184
GASSER, A. J., HARPER, N. J. N., WILSON, A., POLLARD, B. J. and DORAN, B. R. H. Pharmacokinetics and pharmacodynamics of atracurium during hypothermic cardiopulmonary bypass, (*ARS*) 402P
GAUDY, J.-H. The Hering–Breuer reflex in man? (*C*) 627
GAYARD, J. P. *see* COMBES, P., (*C*) 275
GEHAN, G., KAROUBI, P., QUINET, F., LEROY, A., RATHAT, C. and POURRIAT, J. L. Optimal dose of lignocaine for preventing pain on injection of propofol 324–326
GHIGNONE, M. *see* QUINTIN, L. 108–115
GHONEIM, M. M. *see* BLOCK, R. I. 170–178
GILL, N. P. *see* MCHUGH, P. 285–291
GILL, S. S. *see* DONATI, F. 557–561
GILLMAN, M. A. Dimethylthiourea is not necessary to prevent the effects of nitrous oxide inactivation of methionine synthase, (*C*) 274–275
GIRON, G. *see* BENEDETTI, V., (*R*) 277–278
GLASS, D. D. *see* YEAGER, M. P., (*R*) 148–149
GOLDHILL, D. R. *see* OOI, L. G. S., (*ARS*) 404P
GOLDMAN, M. *see* MUIR, A. D., (*ARS*) 396P
GOODMAN, N. W. *see* KESTIN, I. G. 232–236
GOTO, R. *see* SAITOH, N. 340–344
GRAY, W. M. *see* ARMSTRONG, P. 163–169; MCCLYMONT, W., (*ARS*) 405P; ROBB, H. M. 358–364
GREEN, J. H. *see* ELLIS, F. R., (*E*) 535–537
GREEN, M. *see* MURPHY, P. G., (*ARS*) 398P
GREENE, N. M. *see* BRULL, S. J. 651–655
GRIFFITHS, A. *see* OOI, L. G. S., (*ARS*) 404P
GRIFFITHS, D. E. *see* JESSOP, J., (*ARS*) 400P
GROSSMAN, Y. *see* TARASIUK, A. 88–96
GROUNDS, M. *see* PRICE, M., (*ARS*) 409P
GROUNDS, R. M. *see* SIDHU, V. S., (*C*) 527
GUNAWARDENE, W. M. S. *see* JONES, R. D. M. 660–666
GUNNARSON, L., TOKICS, L., GUSTAVSSON, H. and HEDENSTIERNA, G. Influence of age on atelectasis formation and gas exchange impairment during general anaesthesia 423–432
GUNTAMUKKALA, M. and HARDY, P. A. J. Spread of injectate after stellate ganglion block in man: an anatomical study 643–644
GUPTA, A., LEDIN, T., LARSEN, L. E., LENNMARKEN, C. and ODKVIST, L. M. Computerized dynamic posturography: a new method for the evaluation of postural stability following anaesthesia 667–672
GUSTAVSSON, H. *see* GUNNARSON, L. 423–432
GUYENE, T. *see* QUINTIN, L. 108–115

HACKL, W., WINKLER, M., MAURITZ, W., SPORN, P. and STEINBEREITHNER, K. Muscle biopsy for diagnosis of malignant hyperthermia susceptibility in two patients with severe exercise-induced myolysis 138–140
HAINDL, H. *see* MORRISON, L. M., (*ARS*) 407–408P
HALL, G. M. *see* ALLSOP, P. 541–545
HALL, S. M. *see* LEVITZKY, M. G., (*R*) 532
HALLIDAY, D. *see* CARLI, F. 292–299
HALSALL, P. J. *see* HOPKINS, P. M. 611–613
HANNA, M. H. Intrathecal morphine-6-glucuronide, (*C*) 272
HANNA, M. H., PEAT, S. J., KNIBB, A. A. and FUNG, C. Disposition of morphine-6-glucuronide and morphine in healthy volunteers 103–107
HANNING, C. D. *see* BARKER, P., (*ARS*) 410–411P
HANSON, G. *see* BRISTOW, A., (*R*) 276
HARDY, P. A. Intrathecal morphine-6-glucuronide, (*C*) 271–272
HARDY, P. A. J. *see* GUNTAMUKKALA, M. 643–644
HARPER, N. J. N., CHADWICK, I. S. and LINSLEY, A. Sequential and simultaneous administration of suxamethonium and atracurium, (*ARS*) 403–404P
HARPER, N. J. N. *see* GASSER, A. J., (*ARS*) 402P
HARRIS, R. A. *see* MANARA, A. R. 129–130
HARRISON, G. G. *see* MEISSNER, P. N. 60–65
HARTNELL, G. *see* MANARA, A. R. 129–130
HAUSS, J. *see* EHRLY, A. M., (*R*) 418
HAYES, M. *see* FERGUSON, C., (*ARS*) 400P
HAYWARD, A. *see* PLATT, M. 45–47
HEALY, T. E. J., (editor) *Anaesthesia for Day Case Surgery. Baillière's Clinical Anaesthesiology—International Practice and Research*, Vol. 4, No. 3, (*R*) 736–737
HEALY, T. E. J. *see* DROPPERT, P. M. 638–642; UN, E. N., (*ARS*) 394P
HEDENSTIERNA, G. *see* GUNNARSON, L. 423–432
HEENAN, P. J. *see* BEEMER, G. H. 469–475
HEKALI, R. *see* ROSENBERG, P. H. 25–30
HENDLEY, B. J. Transdermal hyoscine and postoperative nausea and vomiting, (*C*) 415
HERDMAN, M. *see* FERGUSON, C., (*ARS*) 400P
HICKEY, S., ASBURY, A. J. and MILLAR, K. Psychomotor recovery after outpatient anaesthesia: individual impairment may be masked by group analysis 345–352
HIFT, R. J. *see* MEISSNER, P. N. 60–65
HIGGINS, D., MASON, D. G., BOYD, S. G. and LLOYD-THOMAS, A. R. Effect of isoflurane on the N20 component of the median nerve somatosensory evoked potentials in children, (*ARS*) 399–400P
HIGGINS, D. *see* MASON, D. G., (*ARS*) 399P
HIRSCH, N. *see* PLATT, M. 45–47
HOEFT, A., KORB, H., MEHLHORN, U., STEPHAN, H. and SONNTAG, H. Priming of cardiopulmonary bypass with human albumin or Ringer lactate: effect on colloid osmotic pressure and extravascular lung water 73–80
HOLLMEN, A. I. *see* ALAHUHTA, S. 319–323
HOPKINS, P. M., ELLIS, F. R. and HALSALL, P. J. Ryanodine contracture: a potentially specific *in vitro* diagnostic test for malignant hyperthermia 611–613

HOSIE, H. E. and NIMMO, W. S. Temazepam absorption in patients before surgery 20–24
HOUWELING, P. L. *see* IONESCU, T. I. 458–464
HOWARD, P. J. *see* DWYER, R. C. 572–579
HOWIE, A. F. *see* ALDRIDGE, L. M., (*ARS*) 413–414P
HOWIE, J. C. *see* OATES, J. D. L. 305–309
HOWIE, J. E. *see* DUTTON, D. A., (*C*) 528
HUCH, R. *see* EHRLY, A. M., (*R*) 418
HULL, C. J. *see* STAFFORD, M. A., (*ARS*) 406–407P
HUMPHREY, S. J. E. and WHITE, D. C. A servo-controlled anaesthetic machine, (*ARS*) 400–401P
HUNTER, J. M. *see* PARKER, C. J. R., (*ARS*) 402P; SHEARER, E. S. 551–556
HUTCHINSON, R. C. *see* LIN, E. S. 476–482

IEVINS, F. A. Accuracy of placement of extradural needles in the L3–4 interspace: comparison of two methods of identifying L4 381–382
IMLE, P. C. *see* MACKENZIE, C. F., (*R*) 149
IONESCU, T. I., TAVERNE, R. H. T., HOUWELING, P. L., DROST, R. H., NUIJTEN, S. and VAN ROSSUM, J. Pharmacokinetic study of extradural and intrathecal sufentanil anaesthesia for major surgery 458–464
ISAAC, P. A. *see* SANDERS, L. D. 445–453
ISHIMURA, Y. *see* MORISAKI, H. 97–102

JAMES, M. F. M., SCHENK, P. A. and VAN DER VEEN, B. W. Priming of pancuronium with magnesium 247–249
JAMES, M. F. M. *see* ALLEN, R. W. 216–223
JAMES, R. H. Spinal anaesthesia with hypobaric bupivacaine, (*C*) 272
JARVIS, A. P. *see* VALENTINE, S. J. 224–227
JAWAN, B. and LEE, J. H. Oxygen cylinders on anaesthesia machines, (*C*) 628
JEBSON, P. J., TATMAN, D. J. and STARR, J. M. Carbon dioxide elimination following acute lung injury induced by i.v. ethchlorvynol in swine, (*ARS*) 395–396P
JESSOP, J., GRIFFITHS, D. E., SAPSFORD, D. J., FURNESS, P., BRECKON, D. A. and JONES, J. G. Changes in amplitude and latency of an event-related potential with depression of consciousness by nitrous oxide, (*ARS*) 400P
JESSOP, J. and JONES, J. G. Conscious awareness during general anaesthesia—what are we attempting to monitor? (*E*) 635–637
JOHANNESSEN, N. W. *see* MOLLER, J. T. 437–444
JOHNSON, C. *see* MUIR, A. D., (*ARS*) 396P
JONES, J. G. and SELSBY, D. Chest physiotherapy, (*C*) 147
JONES, J. G. *see* ENTWISTLE, M. D., (*ARS*) 396–397P; JESSOP, J., (*ARS*) 400P; (*E*) 635–637; MURPHY, P. G., (*ARS*) 398P
JONES, R. D. M., LAWSON, A. D., ANDREW, L. J., BACON-SHONE, J. and GUNAWARDENE, W. M. S. Antagonism of the hypnotic effect of midazolam in children: a randomized, double-blind study of placebo and flumazenil administered after midazolam-induced anaesthesia 660–666
JONES, R. M. *see* WRIGLEY, S. R., (*ARS*) 407P
JORDAN, M. J. *see* BRAUDE, N., (*ARS*) 403P
JORFELDT, I. *see* ALLSOP, P. 541–545
JØRGENSEN, L. N., RASMUSSEN, L. S., NIELSEN, P. T., LEFFERS, A. and ALBRECHT-BESTE, E. Antithrombotic efficacy of continuous extradural analgesia after knee replacement 8–12
JOUPPILA, P. *see* ALAHUHTA, S. 319–323
JOUPPILA, R. *see* ALAHUHTA, S. 319–323

KALENDA, Z. *Mastering Infrared Capnography*, 1st Edn, (*R*) 419
KALKMAN, C. J., TRAAST, H., ZUURMOND, W. W. A. and BOVILL, J. G. Differential effects of propofol and nitrous oxide on posterior tibial nerve somatosensory cortical evoked potentials during alfentanil anaesthesia 483–489
KALLI, I. Surface electrode position during ulnar nerve stimulation, (*C*) 734–735
KALSO, E., AROMAA, U. and TAMMISTO, T. Sensitivity, specificity and predictive value of the sensation of warmth as a method of detecting inadvertent subarachnoid injection of local anaesthetic when performing extradural blocks 614–616
KANGAS-SAARELA, T. *see* ALAHUHTA, S. 319–323
KANTO, J. and SCHEININ, M. Biochemical assessment of preoperative stress: a study with diazepam and measurement of monoamine metabolites and catecholamines in cerebrospinal fluid and plasma 587–590
KAPLAN, J. A. *see* TRACY, T. M., (*R*) 278
KAROUBI, P. *see* GEHAN, G. 324–326
KAUFMAN, L., (editor) *Anaesthesia Review 7*, 7th Edn, (*R*) 277
KEE, S. S., SEDGWICK, J. and BRISTOW, A. Interhospital transfer of a patient undergoing extracorporeal carbon dioxide removal 141–144
KEENAN, G. M. A., MUNISHANKARAPPA, S., ELPHINSTONE, M. E. and MILNE, M. K. Extradural diamorphine with adrenaline in labour: comparison with diamorphine and bupivacaine 242–246
KEHLET, H. *see* DAHL, J. B. 703–712
KELLER, I. *see* MADLER, C. 81–87
KELLY, J. M. *see* MOSTAFA, S. M., (*ARS*) 409–410P
KENDIG, J. J. *see* TARASIUK, A. 88–96
KENNY, G. N. C., (editor) *Clinical Anaesthesiology. Automated Anaesthetic Records*, 1st Edn, (*R*) 531–532
KESTIN, I. G. Spinal anaesthesia in obstetrics 596–607
KESTIN, I. G., MADDEN, A. P., MULVEIN, J. T. and GOODMAN, N. W. Comparison of incremental spinal anaesthesia using a 32-gauge catheter with extradural anaesthesia for elective Caesarean section 232–236
KITAMURA, S. *see* SAITOH, N. 340–344
KLEMENT, W. and ARNDT, J. O. Pain on i.v. injection of some anaesthetic agents is evoked by the unphysiological osmolality or pH of their formulations 189–195
KNIBB, A. A. *see* HANNA, M. H. 103–107
VON KNORRING, J. *see* LINDGREN, L. 205–211
KOBLIN, D. D. Dimethylthiourea is not necessary to prevent the effects of nitrous oxide inactivation of methionine synthase, (*C*) 275
KOPMAN, A. F. Surface electrode position during ulnar nerve stimulation, (*C*) 734
KORB, H. *see* HOEFT, A. 73–80
KOSCIELNIAK-NIELSEN, Z. J. and STENS-PEDERSEN, H. L. Intra-arterial regional analgesia of the hand 719–720
KOSKI, E. M. J. Transdermal hyoscine and postoperative nausea and vomiting, (*C*) 415
KOX, W. J. *see* DUNNE, N. M. 617–619
KRISTENSEN, M. S. *see* ANKER-MØLLER, E. 185–188
KRUGER, P. *see* UNGERER, M. J., (*ARS*) 406P
KUMAR, A. Y. *see* SHANKAR, K. B., (*C*) 628

LAISHLEY, R. S. and APS, C. Tension pneumothorax and pulse oximetry 250–252
LARSEN, L. E. *see* GUPTA, A. 667–672; MOLLER, J. T. 437–444
LAWSON, A. D. *see* JONES, R. D. M. 660–666
LEARY, N. P. Masseteric muscle spasm, (*C*) 271
LEDIN, T. *see* GUPTA, A. 667–672

LEE, A., BROCKWAY, M., MCKEOWN, D. and WILDSMITH, J. A. W. Comparison of high and low volume extradural infusions for postoperative analgesia, (*ARS*) 408P
LEE, J. H. *see* JAWAN, B., (*C*) 628
LEE, J. J. and PARRY, H. Bacterial meningitis following spinal anaesthesia for Caesarean section 383–386
LEFFERS, A. *see* JØRGENSEN, L. N. 8–12
LEIGH, J. Domiciliary oxygen concentrators in anaesthesia, (*C*) 274
LENNMARKEN, C. *see* ALLSOP, P. 541–545; GUPTA, A. 667–672; VEGFORS, M. 625–626
LEPÄNTALO, M. *see* LINDGREN, L. 205–211
LEROUGE, P. *see* BELLAÏCHE, S. 353–357
LEROY, A. *see* GEHAN, G. 324–326
LEVICK, J. R. *An Introduction to Cardiovascular Physiology*, (*R*) 419
LEVITZKY, M. G., CAIRO, J. M. and HALL, S. M., (editors) *Introduction to Respiratory Care*, (*R*) 532
LIN, E. S., POON, W., HUTCHINSON, R. C. and OH, T. E. Systems analysis applied to intracranial pressure waveforms and correlation with clinical status in head injured patients 476–482
LIN, E. S. *see* OH, T. E. 258–263
LINDGREN, L., LEPÄNTALO, M., VON KNORRING, J., ROSENBERG, P., ORKO, R. and SCHEININ, B. Effect of verapamil on right ventricular pressure and atrial tachyarrhythmia after thoracotomy 205–211
LINKENS, D. A. *see* ROBB, H. M. 358–364
LINSLEY, A. *see* HARPER, N. J. N., (*ARS*) 403–404P
LINTER, S. P. K. *see* TORDOFF, S. G. 516–518
LIPNICK, R. L., (editor) *Studies of Narcosis*. By Charles Ernest Overton, 1st Edn, (*R*) 633
LIPPMANN, M. Propofol: effect on the myocardium compared with the peripheral vascular system, (*C*) 416–417
LLOYD-THOMAS, A. R. *see* HIGGINS, D., (*ARS*) 399–400P; MASON, D. G., (*ARS*) 399P
LO, J. R. *see* TSUI, S. L. 134–137
LOCKWOOD, G. G. and WHITE, D. C. Effect of ventilation and cardiac output on the uptake of anaesthetic agents from different breathing systems: a theoretical study 519–526
LOGAN, M. R. and DRUMMOND, G. B. Cranio–caudal movement of the sternum on induction of anaesthesia 433–436
LOWE, D. M. and MCFADZEAN, W. Drawover anaesthesia and preoxygenation 196–199
LOWSON, S. M., BROWN, J. and WILKINS, C. J. Influence of the lumbar interspace chosen for injection on the spread of hyperbaric 0.5% bupivacaine 465–468
LUMB, A. B. and NUNN, J. F. Respiratory function and rib cage contribution to ventilation in body positions commonly used during anaesthesia, (*ARS*) 394–395P
LYNCH, M. and UNDERWOOD, S. Pulmonary oedema following relief of upper airway obstruction in the Pierre–Robin syndrome: a consequence of early palatal repair? 391–393

MCCARTHY, G., MIRAKHUR, R. K., ELLIOTT, P. and WRIGHT, J. Effect of H_2-receptor antagonist pretreatment on vecuronium- and atracurium-induced neuromuscular block 713–715
MCCARTHY, G., MIRAKHUR, R. K., ELLIOTT, P. and MCLOUGHLIN, C. Preoxygenation techniques in the elderly, (*ARS*) 397–398P
MCCLURE, J. H. *see* BROCKWAY, M. S. 31–37; NOBLE, D. W. 645–650
MCCLYMONT, C. *see* MISRA, U. 310–313
MCCLYMONT, W., GRAY, W. M., VAN RIJSBERGEN, C. J. and ASBURY, A. J. Can a computer help with preanaesthetic assessment? (*ARS*) 405P
MACDONALD, R. Aspirin and extradural blocks, (*E*) 1–3
MCFADZEAN, W. *see* LOWE, D. M. 196–199
MCHUGH, P., GILL, N. P., WYLD, R., NIMMO, W. S. and REILLY, C. S. Continuous ambulatory ECG monitoring in the perioperative period: relationship of preoperative status and outcome 285–291
MACKENZIE, A. A. *see* SMITH, J. E. 546–550
MACKENZIE, C. F. Chest physiotherapy, (*C*) 147
MACKENZIE, C. F., IMLE, P. C. and CIESLA, N. *Chest Physiotherapy in the Intensive Care Unit*, 2nd Edn, (*R*) 149
MCKENZIE, P. J. Deep venous thrombosis and anaesthesia, (*E*) 4–7
MCKEOWN, D. *see* BROCKWAY, M. S. 31–37; LEE, A., (*ARS*) 408P
MCKEOWN, D. W. *see* ROBISON, C. 228–231
MCKINNEY, M. S., FEE, J. P. H. and YEATES, H. A. Halothane and isoflurane anaesthesia reduce cardiac index in the elderly, (*ARS*) 413P
MACLEOD, A. D. *see* OATES, J. D. L. 305–309
MCLOUGHLIN, C. *see* MCCARTHY, G., (*ARS*) 397–398P
MCMILLAN, C. and DUNDEE, J. W. Is self-stimulaton of P6 feasible as an antiemetic in cancer chemotherapy? (*ARS*) 410P
MCQUAY, H. J and NAGLE, C. J. Extradural opioids, (*C*) 629–630
MACQUIN, I. *see* QUINTIN, L. 108–115
MADDEN, A. P. *see* KESTIN, I. G. 232–236
MADLER, C., KELLER, I., SCHWENDER, D. and PÖPPEL, E. Sensory information processing during general anaesthesia: effect of isoflurane on auditory evoked neuronal oscillations 81–87
MAEKAWA, N. *see* SAITOH, N. 340–344
MANARA, A. R., BOLSIN, S., MONK, C. R., HARTNELL, G. and HARRIS, R. A. Metoclopramide and renal vascular resistance 129–130
MANARA, A. R., MONK, C. R., BOLSIN, S. N. and PRYS-ROBERTS, C. Total i.v. anaesthesia with propofol and alfentanil for coronary artery bypass grafting 716–718
MARSCH, S. C. U. *see* SCHAEFER, H.-G. 608–610
MARSHALL, R. W. *see* GAO, F. 179–184
MASON, D. G., HIGGINS, D., BOYD, S. G. and LLOYD-THOMAS, A. R. Sequential measurement of somatosensory evoked potentials during isoflurane anaesthesia in children, (*ARS*) 399P
MASON, D. G. *see* HIGGINS, D., (*ARS*) 399–400P
MASSEY, N. J. *see* SHERRY, K., (*C*) 527–528
MAURITZ, W. *see* HACKL, W. 138–140
MAZOIT, J.-X. *see* NARCHI, P. 583–586
MEAKIN, G. *see* DROPPERT, P. M. 638–642
MEHLHORN, U. *see* HOEFT, A. 73–80
MEISSNER, P. N., HARRISON, G. G. and HIFT, R. J. Propofol as an i.v. anaesthetic induction agent in variegate porphyria 60–65
MICHENFELDER, J. D. *see* CUCCHIARA, R. F., (*R*) 532–533
MIKAWA, K. *see* SAITOH, N. 340–344
MILLAR, B. *see* PRICE, M., (*ARS*) 409P
MILLAR, K. *see* HICKEY, S. 345–352
MILLER, R. *see* SMITH, G., (*E*) 421–422
MILNE, M. K. *see* KEENAN, G. M. A. 242–246
MIRAKHUR, R. K. *see* MCCARTHY, G., (*ARS*) 397–398P; 713–715
MISRA, U., PRIDIE, A. K., MCCLYMONT, C. and BOWER, S. Plasma concentrations of bupivacaine following combined sciatic and femoral 3 in 1 nerve blocks in open knee surgery 310–313
MOLLER, J. T., JOHANNESSEN, N. W., BERG, H., ESPERSEN, K. and LARSEN, L. E. Hypoxaemia during anaesthesia—an observer study 437–444
MONK, C. R. *see* MANARA, A. R. 129–130; 716–718

MORGAN, B. M. *see* RANDALLS, B. 314–318
MORGAN, M. *see* SMITH, G., (*E*) 421–422
MORI, K. *see* AVRAMOV, M. N. 212–215
MORISAKI, H., TANAKA, T., ISHIMURA, Y., TAKEDA, J., SEKIGUCHI, H. and NAGANO, M. *In vitro* effect of additives in benzodiazepine solutions on the superoxide anion-generating system in polymorphonuclear leucocytes 97–102
MORRIS, P. J. *see* SOAR, J., (*ARS*) 398P
MORRISON, L. M., HAINDL, H., SINCLAIR, W. A. and WILDSMITH, J. A. W. *In vitro* comparison of CSF leakage after dural puncture with Haindl, Sprotte and Quincke needles, (*ARS*) 407–408P
MORRISON, L. M., PAYNE, M. and DRUMMOND, G. B. Comparison of speed of onset of analgesic effect of diamorphine and morphine 656–659
MORRISON, L. M. *see* NOBLE, D. W. 645–650
MORTIER, W. and BREUCKING, E., (editors) *Malignant Hyperthermia Neuromuscular Diseases and Anaesthesia*, 1st Edn, (*R*) 418
MORTIMER, A. J. *see* DROPPERT, P. M. 638–642; UN, E. N., (*ARS*) 394P
MOSELEY, H. S. L. *see* SHANKAR, K. B., (*C*) 628
MOSTAFA, S. M., WONG, D., KELLY, J. M. and SNOWDON, S. Nitrous oxide concentration in intravitreal gas during anaesthesia, (*ARS*) 409–410P
MOULTON PERRY, S., WHELAN, E., SHAY, S., WOOD, A. J. J. and WOOD, M. Effect of i.v. anaesthesia with propofol on drug distribution and metabolism in the dog 66–72
MUIR, A. D., REEDER, M. K., FOËX, P., SEAR, J. W., GOLDMAN, M. and JOHNSON, C. Postoperative oxygen desaturation and myocardial ischaemia in patients presenting for vascular surgery, (*ARS*) 396P
MUIR, A. D. *see* REEDER, M. K., (*ARS*) 412–413P
MULVEIN, J. T. *see* KESTIN, I. G. 232–236
MUNISHANKARAPPA, S. *see* KEENAN, G. M. A. 242–246
MURAT, I. *see* SAINT-MAURICE, C., (*R*) 736
MURAYAMA, T. *see* AVRAMOV, M. N. 212–215
MURPHY, P. G., MYERS, D. S., GREEN, M. and JONES, J. G. Ultrastructural evidence for free radical production during experimental lung injury, (*ARS*) 398P
MURPHY, P. M., FITZGEORGE, R. B. and BARRETT, R. F. Viability and distribution of bacteria after passage through a circle anaesthetic system 300–304
MURRAY, E. Chest physiotherapy, (*C*) 146–147
MURRAY, G. D. *see* OATES, J. D. L. 305–309
MURRAY, V., (editor) *Major Chemical Disasters—Medical Aspects of Management*, 1st Edn, (*R*) 277
MYERS, D. S. *see* MURPHY, P. G., (*ARS*) 398P

NAGANO, M. *see* MORISAKI, H. 97–102
NAGI, H. *see* WARDE, D. 327–330
NAGLE, C. J. *see* MCQUAY, H. J, (*C*) 629–630
NANDI, P. R., CHARLESWORTH, C. H., TAYLOR, S. J., NUNN, J. F. and DORÉ, C. J. Effect of general anaesthesia on the pharynx 157–162
NARCHI, P., MAZOIT, J.-X., COHEN, S. and SAMII, K. Heart rate response to an i.v. test dose of adrenaline and lignocaine with and without atropine pretreatment 583–585
NELSON, V. and CAMPBELL, I. T. Effect of inspiratory and expiratory resistances on the end-tidal position in man, (*ARS*) 395P
NIELSEN, P. T. *see* JØRGENSEN, L. N. 8–12
NIMMO, W. S. *see* HOSIE, H. E. 20–24; MCHUGH, P. 285–291
NOBLE, D. W., MORRISON, L. M., BROCKWAY, M. S. and MCCLURE, J. H. Adrenaline, fentanyl or adrenaline and fentanyl as adjuncts to bupivacaine for extradural anaesthesia in elective Caesarean section 645–650
NUIJTEN, S. *see* IONESCU, T. I. 458–464
NUNN, J. F. The Hering–Breuer reflex in man? (*C*) 627–628
NUNN, J. F. *see* LUMB, A. B., (*ARS*) 394–395P; NANDI, P. R. 157–162; O'CONNELL, M. J. 697–702
NYROP, M. *see* PEDERSEN, J. 264–270

OATES, J. *see* BRIERLEY, J. K. 724–727
OATES, J. D. L., MACLEOD, A. D., OATES, P. D., PEARSALL, F. J., HOWIE, J. C. and MURRAY, G. D. Comparison of two methods for predicting difficult intubation 305–309
OATES, P. D. *see* OATES, J. D. L. 305–309
OBARA, H. *see* SAITOH, N. 340–344
O'CONNELL, M. J., SNAPE, S. D. and NUNN, J. F. An early marker of hyperoxic lung injury in the rat and its pharmacological modulation 697–702
ÖDKVIST, L. M. *see* GUPTA, A. 667–672
VAN OENE, J. C. *see* VAN EE, R. 496–499
OH, T. E., (editor) *Intensive Care Manual*, 3rd Edn, (*R*) 148
OH, T. E., LIN, E. S. and BHATT, S. Resistance of humidifiers, and inspiratory work imposed by a ventilator–humidifier circuit 258–263
OH, T. E. *see* LIN, E. S. 476–482
OKELL, R. W. *see* SANDERS, L. D. 445–453
OOI, L. G. S., GOLDHILL, D. R., GRIFFITHS, A., SMITH, C. and BRACEY, B. I.v. fluids and minor gynaecological surgery: effect on recovery from anaesthesia, (*ARS*) 404P
ORKO, R. *see* LINDGREN, L. 205–211
ORLIKOWSKI, C. E. P., EWART, M. C. and BINGHAM, R. M. The Humphry ADE system: evaluation in paediatric use 253–257
ORMEROD, O. *see* REEDER, M. K., (*ARS*) 412–413P
OSTHEIMER, G. W. *see* FERRANTE, F. M., (*R*) 276–277
O'SULLIVAN, E. P. *see* SHEARER, E. S. 551–556
O'TOOLE, D. P. *see* PATTERSON, K. W. 513–515
OVASSAPIAN, A. *Fiberoptic Airway Endoscopy in Anesthesia and Critical Care*, (*R*) 278

PAES, M. L. *see* COOPER, P. 387–390
PARK, G., BURNS, A. and PEDERSON, J. Comparison of dopamine and dopexamine, (*C*) 528–529
PARKER, C. J. R. and HUNTER, J. M. Relation of body weight to volume of distribution of atracurium and maximum twitch depression, (*ARS*) 402P
PARRILLO, J. E. *see* ROGERS, M. C., (*R*) 632
PARRY, H. *see* LEE, J. J. 383–386
PATTERSON, K. W. and O'TOOLE, D. P. HELLP syndrome: a case report with guidelines for diagnosis and management 513–515
PAYNE, M. *see* MORRISON, L. M. 656–659
PEARSALL, F. J. *see* OATES, J. D. L. 305–309
PEARSON, K. S. *see* FROM, R. P., (*C*) 416
PEARSON, M. *see* CARLI, F. 292–299
PEAT, S. J. *see* HANNA, M. H. 103–107
PEDERSEN, J. and NYROP, M. Anaesthetic equipment for a developing country 264–270
PEDERSON, J. *see* PARK, G., (*C*) 528–529
PERE, P. *see* ROSENBERG, P. H. 25–30
PETROS, A. J. *see* BARNARD, M. J., (*ARS*) 411–412P; COTTER, S. M., (*ARS*) 408–409P
PIGGOTT, S. E. *see* SANDERS, L. D. 445–453
PLATT, M., HAYWARD, A., COOPER, A. and HIRSCH, N. Effect of arterial carbon dioxide tension on the duration of action of atracurium 45–47
PLEUVRY, B. J. Opioid receptors and their ligands: natural and unnatural 370–380
PLEUVRY, B. J. *see* AL-MUHANDIS, W. M., (*ARS*) 412P
PLOEGER, E. J. *see* VAN ESSEN, E. J. 237–241

PLOURDE, G. and BOYLAN, J. F. The auditory steady state response during sufentanil anaesthesia 683–691
PLUMMER, J. L. *see* SHORT, T. G. 13–19
POCOCK, G. and RICHARDS, C. D. Cellular mechanisms in general anaesthesia 116–128
POLLARD, B. J. *see* GASSER, A. J., (*ARS*) 402P; THOMAS, A. N., (*C*) 733–734
PONTE, J. Memory mechanisms, (*C*) 529
POON, W. *see* LIN, E. S. 476–482
PÖPPEL, E. *see* MADLER, C. 81–87
PORRO, C. A. *see* CAVAZZUTI, M. 490–495
POURRIAT, J. L. *see* GEHAN, G. 324–326
PRICE, M., MILLAR, B., GROUNDS, M. and CASHMAN, J. Non-invasive measurement of changes in cardiac index during induction of anaesthesia, (*ARS*) 409P
PRIDIE, A. K. *see* MISRA, U. 310–313
PRYS-ROBERTS, C. *see* MANARA, A. R. 716–718; RAFTERY, S. 566–571
PURDY, G. *see* SURESH, D. 200–204

QUINET, F. *see* GEHAN, G. 324–326
QUINLAN, K. *see* TRACY, T. M., (*R*) 278
QUINTIN, L., ROUDOT, F., ROUX, C., MACQUIN, I., BASMACIOGULLARI, A., GUYENE, T., VAUBOURDOLLE, M., VIALE, J. P., BONNET, F. and GHIGNONE, M. Effect of clonidine on the circulation and vasoactive hormones after aortic surgery 108–115

RAE, P. W. H. *see* ARMSTRONG, P. 163–169
RAFTERY, S., ENEVER, G. and PRYS-ROBERTS, C. Oesophageal contractility during total i.v. anaesthesia with and without glycopyrronium 566–571
RAFTERY, S. *see* WARDE, D. 327–330
RAMSAY, J. G. *see* ARVIEUX, C. C. 673–682
RANDALLS, B., BROADWAY, J. W., BROWNE, D. A. and MORGAN, B. M. Comparison of four subarachnoid solutions in a needle-through-needle technique for elective Caesarean section 314–318
RÄSÄNEN, J. *see* ALAHUHTA, S. 319–323
RASMUSSEN, L. S. *see* JØRGENSEN, L. N. 8–12
RATHAT, C. *see* GEHAN, G. 324–326
RAY, D. C. *see* ALDRIDGE, L. M., (*ARS*) 413–414P; ROBISON, C. 228–231
REDKE, F., BJÖRKMAN, S. and ROSBERG, B. Pharmacokinetics and clinical experience of 20-h infusions of methohexitone in intensive care patients with postoperative pyrexia 53–59
REED, A. P. *see* TRACY, T. M., (*R*) 278
REEDER, M. K., MUIR, A. D., FOËX, P., SEAR, J. W., SMART, D. J. and ORMEROD, O. Silent myocardial ischaemia and myocardial dysfunction in patients undergoing aortic reconstructive surgery, (*ARS*) 412–413P
REEDER, M. K. *see* MUIR, A. D., (*ARS*) 396P
REILLY, C. S. *see* MCHUGH, P. 285–291
RICHARDS, C. D. *see* POCOCK, G. 116–128
RIEDER, H. U. *see* FREI, F. J. 331–339
VAN RIJSBERGEN, C. J. *see* MCCLYMONT, W., (*ARS*) 405P
ROBB, H. M., ASBURY, A. J., GRAY, W. M. and LINKENS, D. A. Towards a standardized anaesthetic state using enflurane and morphine 358–364
ROBERTS, B. *see* SANDERS, L. D. 445–453
ROBERTSON, B. A. *see* BEEMER, G. H. 469–475
ROBINSON, J. O. *see* SANDERS, L. D. 445–453
ROBISON, C., RAY, D. C., MCKEOWN, D. W. and BUCHAN, A. S. Effect of adrenaline on plasma concentrations of bupivacaine following lower limb nerve block 228–231
RODGERS, R. C. and ROSS, D. G. Fluidic bistable amplifier as vapour concentration sensor, (*ARS*) 401–402P
ROE, P. G. *see* ENTWISTLE, M. D., (*ARS*) 396–397P
ROEWER, N. *see* SCHOLZ, J. 692–696
ROGERS, M. C. and PARRILLO, J. E., (editors) *The Year Book of Critical Care Medicine*, 8th Edn, (*R*) 632
ROS, P. *see* BOER, F., (*C*) 417
ROSBERG, B. *see* REDKE, F. 53–59
ROSEN, M. *see* SANDERS, L. D. 445–453
ROSENBERG, P. *see* LINDGREN, L. 205–211
ROSENBERG, P. H., PERE, P., HEKALI, R. and TUOMINEN, M. Plasma concentrations of bupivacaine and two of its metabolites during continuous interscalene brachial plexus block 25–30
ROSENBERG, P. H. *see* TUOMINEN, M., (*C*) 272–273
ROSS, D. G. *see* RODGERS, R. C., (*ARS*) 401–402P
ROUDOT, F. *see* QUINTIN, L. 108–115
ROUJAS, F. *see* BELLAÏCHE, S. 353–357
ROUX, C. *see* QUINTIN, L. 108–115
ROWBOTHAM, D. J. *see* TROTTER, T., (*ARS*) 405P
RUM, U. *see* SCHOLZ, J. 692–696
RUTBERG, H. *see* ALLSOP, P. 541–545
RYDER, W. A. *see* ARVIEUX, C. C. 673–682

SAIDMAN, L. J. *see* SMITH, G., (*E*) 421–422
SAINT-MAURICE, C., MURAT, I. and ECOFFEY, C., (editors) *Manuel d'Anesthésie Pédiatrique*, 1st Edn, (*R*) 736
SAITOH, N., MIKAWA, K., KITAMURA, S., MAEKAWA, N., GOTO, R., YAKU, H., YAMADA, M. and OBARA, H. Effects of trimetaphan on the cardiovascular response to tracheal intubation 340–344
SAMII, K. *see* NARCHI, P. 583–586
SAMPLINER, J. E. *see* BERK, J. L., (*R*) 531
SANDERS, L. D., PIGGOTT, S. E., ISAAC, P. A., OKELL, R. W., ROBERTS, B., ROSEN, M. and ROBINSON, J. O. Reversal of benzodiazepine sedation with the antagonist flumazenil 445–453
SAPSFORD, D. J. *see* ENTWISTLE, M. D., (*ARS*) 396–397P; JESSOP, J., (*ARS*) 400P
SCHAEFER, H.-G. and MARSCH, S. C. U. Comparison of orthodox with fibreoptic orotracheal intubation under total i.v. anaesthesia 608–610
SCHAEFER, J. D. *see* SPLINTER, W. M. 48–52
SCHEININ, B. *see* LINDGREN, L. 205–211
SCHEININ, M. *see* KANTO, J. 587–590
SCHENK, P. A. *see* JAMES, M. F. M. 247–249
SCHMITZ, W. *see* SCHOLZ, J. 692–696
SCHOLZ, H. *see* SCHOLZ, J. 692–696
SCHOLZ, J., ROEWER, N., RUM, U., SCHMITZ, W., SCHOLZ, H. and SCHULTE AM ESCH, J. Possible involvement of inositol–lipid metabolism in malignant hyperthermia 692–696
SCHULTE AM ESCH, J. *see* SCHOLZ, J. 692–696
SCHULTZ, P. *see* ANKER-MØLLER, E. 185–188
SCHWENDER, D. *see* MADLER, C. 81–87
SCOTT, J. J. A. *see* DERRINGTON, M. C., (*C*) 271
SCOTT, P. V. Interpleural regional analgesia: detection of the interpleural space by saline infusion 131–133
SCOTT-KNIGHT, V. C. E. *see* SMITH, J. E. 546–550
SEAR, J. W. *see* MUIR, A. D., (*ARS*) 396P; REEDER, M. K., (*ARS*) 412–413P
SEDGWICK, J. *see* KEE, S. S. 141–144
SEKIGUCHI, H. *see* MORISAKI, H. 97–102
SELSBY, D. *see* JONES, J. G., (*C*) 147
SHANKAR, K. B., MOSELEY, H. S. L. and KUMAR, A. Y. Oxygen cylinders on anaesthesia machines, (*C*) 628
SHAY, S. *see* MOULTON PERRY, S. 66–72
SHEARER, E. S., FAHY, L. T., O'SULLIVAN, E. P. and HUNTER, J. M. Transplacental distribution of atracurium, laudanosine and monoquaternary alcohol during elective Caesarean section 551–556
SHERRY, K. and MASSEY, N. J. Pharmacokinetics of propofol, (*C*) 527–528
SHINGU, K. *see* AVRAMOV, M. N. 212–215

SHORT, T. G., GALLETLY, D. C. and PLUMMER, J. L. Hypnotic and anaesthetic action of thiopentone and midazolam alone and in combination 13–19
SHUTT, L. E. *see* VALENTINE, S. J. 224–227
SIBAI, A. M. *see* SIBAI, A. N. 591–595
SIBAI, A. N., SIBAI, A. M. and BARAKA, A. Comparison of flumazenil with aminophylline to antagonize midazolam in elderly patients 591–595
SIDHU, V. S., CUMMIN, A. R. C. and AL-SAADY, N. M. High frequency ventilation, (*C*) 630
SIDHU, V. S., DEAR, G. DE L. and GROUNDS, R. M. Pharmacokinetics of propofol, (*C*) 527
SINCLAIR, W. A. *see* MORRISON, L. M., (*ARS*) 407–408P
SLADE, J. M. Dextran preloading before extradural block, (*C*) 631
SMART, D. J. *see* REEDER, M. K., (*ARS*) 412–413P
SMART, N. G. Extradural opioids, (*C*) 628–629
SMITH, B. E. High frequency ventilation, (*C*) 630
SMITH, C. *see* OOI, L. G. S., (*ARS*) 404P
SMITH, D. C. Central enhancement of evoked electromyographic monitoring of neuromuscular function 562–565
SMITH, G., MILLER, R., SAIDMAN, L. J. and MORGAN, M. Ethics in publishing, (*E*) 421–422
SMITH, G. *see* AITKENHEAD, A. R., (*R*) 149–150
SMITH, J. E., MACKENZIE, A. A. and SCOTT-KNIGHT, V. C. E. Comparison of two methods of fibrescope-guided tracheal intubation 546–550
SMITH, M. B. *see* SOAR, J., (*ARS*) 398P
SNAPE, S. D. *see* O'CONNELL, M. J. 697–702
SNOWDON, S. *see* MOSTAFA, S. M., (*ARS*) 409–410P
SOAR, J., SMITH, M. B., MORRIS, P. J. and DOLIN, S. J. Does glycine antagonism underlie the excitatory effects of propofol and methohexitone? (*ARS*) 398P
SOKOLL, M. D. *see* FROM, R. P., (*C*) 416
SONNTAG, H. *see* HOEFT, A. 73–80
SPANGSBERG, N. *see* ANKER-MØLLER, E. 185–188
SPENCE, A. A. *see* ARMSTRONG, P. 163–169
SPERANDIO, M. *see* BELLAÏCHE, S. 353–357
SPLINTER, W. M. and SCHAEFER, J. D. Ingestion of clear fluids is safe for adolescents up to 3 h before anaesthesia 48–52
SPORN, P. *see* HACKL, W. 138–140
STAFFORD, M. A., HULL, C. J. and WAGSTAFF, A. Effect of lignocaine on pain during injection of propofol, (*ARS*) 406–407P
STARR, J. M. *see* JEBSON, P. J., (*ARS*) 395–396P
STEINBEREITHNER, K. *see* HACKL, W. 138–140
STENS-PEDERSEN, H. L. *see* KOSCIELNIAK-NIELSEN, Z. J. 719–720
STEPHAN, H. Comparison of dopamine and dopexamine, (*C*) 529
STEPHAN, H. *see* HOEFT, A. 73–80
STONE, J. G. *see* ARVIEUX, C. C. 673–682
STUBBING, J. F. *see* TORDOFF, S. G. 516–518
SUM PING, S. T. *see* BLOCK, R. I. 170–178
SURESH, D. Posterior spinal fusion in Sotos' syndrome 728–732
SURESH, D., PURDY, G., WAINWRIGHT, A. P. and FLYNN, P. J. Use of continuous positive airway pressure in paediatric dental extraction under general anaesthesia 200–204
SURY, M. R. J. and BARSOUM, L. Z. Anaesthesia for simultaneous Caesarean section and clipping of intracerebral aneurysm, (*C*) 145

TAIVAINEN, T. *see* TUOMINEN, M., (*C*) 272–273
TAKEDA, J. *see* MORISAKI, H. 97–102
TAMMISTO, T. *see* KALSO, E. 614–616
TANAKA, T. *see* MORISAKI, H. 97–102
TARASIUK, A., GROSSMAN, Y. and KENDIG, J. J. Barbiturate alteration of respiratory rhythm and drive in isolated brainstem–spinal cord of newborn rat: studies at normal and hyperbaric pressure 88–96
TATMAN, D. J. *see* JEBSON, P. J., (*ARS*) 395–396P
TAVERNE, R. H. T. *see* IONESCU, T. I. 458–464
TAYLOR, S. J. *see* NANDI, P. R. 157–162
THEORET, Y. *see* DONATI, F. 557–561
THOMAS, A. N., VOHRA, A. and POLLARD, B. J. Measurement of transthoracic electrical impedance, (*C*) 733–734
THOMAS, D. V. Propofol supports bacterial growth, (*C*) 274
THOMSON, D. A. *see* FREI, F. J. 331–339
TIGHE, S. Q. M. Domiciliary oxygen concentrators in anaesthesia, (*C*) 273–274
TOBIN, M. J., (editor) *Problems in Respiratory Care: The Respiratory Muscles*, (*R*) 632–633
TOKICS, L. *see* GUNNARSON, L. 423–432
TORDOFF, S. G., STUBBING, J. F. and LINTER, S. P. K. Delayed excitatory reaction following interaction of cocaine and monoamine oxidase inhibitor (phenelzine) 516–518
TRAAST, H. *see* KALKMAN, C. J. 483–489
TRACY, T. M., QUINLAN, K., REED, A. P. and KAPLAN, J. A. *Clinical Cases in Anesthesia*, 1st Edn, (*R*) 278
TROTTER, T., WINDRAM, I. and ROWBOTHAM, D. J. Effect of sublingual buprenorphine on gastric emptying of a liquid meal, (*ARS*) 405P
TROTTER, T. *see* BARKER, P., (*ARS*) 410–411P
TSUI, S. L., WOO, D. C. S. and LO, J. R. Anaesthetic management of a 2-month-old infant for laser resection of vocal cord granuloma 134–137
TUOMINEN, M., TAIVAINEN, T. and ROSENBERG, P. H. Spinal anaesthesia with hypobaric bupivacaine, (*C*) 272–273
TUOMINEN, M. *see* ROSENBERG, P. H. 25–30
TURNER, D. A. B. Blood conservation, (*E*) 281–284
TURNER, G. A., WILLIAMS, J. D. and BAKER, D. J. Effect of pretreatment with oral pyridostigmine on subsequent activity of alcuronium in non-anaesthetized subjects 365–369

UN, E. N., HEALY, T. E. J. and MORTIMER, A. J. Cardiorespiratory effects of sufentanil, (*ARS*) 394P
UNDERWOOD, S. *see* LYNCH, M. 391–393
UNGERER, M. J., DIEDERICKS, J., VAN DEN BERGH, P. S., KRUGER, P., BENEKE, J. and DE WET, J. I. Comparison of intranasal sufentanil and oral trimeprazine for premedication of children, (*ARS*) 406P
UYS, P. C. *see* ALLEN, R. W. 216–223

VALENTINE, S. J., JARVIS, A. P. and SHUTT, L. E. Comparative study of the effects of air or saline to identify the extradural space 224–227
VAN BRUMMELEN, P. *see* BOER, F., (*C*) 417
VAN DER KROGT, J. *see* BOER, F., (*C*) 417
VAN DER VEEN, B. W. *see* JAMES, M. F. M. 247–249
VAN ROSSUM, J. *see* IONESCU, T. I. 458–464
VARIN, F. *see* DONATI, F. 557–561
VAUBOURDOLLE, M. *see* QUINTIN, L. 108–115
VAUGHAN, R. S. Training in fibreoptic laryngoscopy, (*E*) 538–540
VEGFORS, M. and LENNMARKEN, C. Carboxyhaemoglobinaemia and pulse oximetry 625–626
VENKATESAN, S. *see* CARLI, F. 292–299
VERMEYEN, K. M., DE HERT, S. G., ERPELS, F. A. and ADRIAENSEN, H. F. Myocardial metabolism during anaesthesia with propofol—low dose fentanyl for coronary artery bypass surgery 504–508
VIALE, J. P. *see* QUINTIN, L. 108–115

VICKERS, M. D. *see* GAO, F. 179–184
VIDECOQ, M. *see* ARVIEUX, C. C. 673–682
VOHRA, A. *see* THOMAS, A. N., (*C*) 733–734
VYVYAN, H. A. L. *see* BRAUDE, N., (*ARS*) 403P

WAGSTAFF, A. *see* STAFFORD, M. A., (*ARS*) 406–407P
WAINWRIGHT, A. P. *see* SURESH, D. 200–204
WALSH, B. E. Ramon y Cajal, (*C*) 417
WARD, D. S. *see* DAHAN, A. 454–457
WARDE, D., NAGI, H. and RAFTERY, S. Respiratory complications and hypoxic episodes during inhalation induction with isoflurane in children 327–330
WATKINS, J. NAARAS: the advisory service to anaesthetists provided by the Supraregional Protein Reference Unit in Sheffield, (*C*) 274
WEBSTER, J. *see* CARLI, F. 292–299
WENHAM, D. *see* CARLI, F. 292–299
WENNBERG, E. Dextran preloading before extradural block, (*C*) 631; Measurement of transthoracic electrical impedance, (*C*) 734
WEST, J. B. *Ventilation/Blood Flow and Gas Exchange*, 5th Edn, (*R*) 276
WHELAN, E. *see* MOULTON PERRY, S. 66–72
WHITE, D. C. *see* COTTER, S. M., (*ARS*) 408–409P; HUMPHREY, S. J. E., (*ARS*) 400–401P; LOCKWOOD, G. G. 519–526
WHITE, P. F., (editor) *Outpatient Anaesthesia*, (*R*) 418–419
WILDSMITH, J. A. W. *see* BROCKWAY, M. S. 31–37; LEE, A., (*ARS*) 408P; MORRISON, L. M., (*ARS*) 407–408P
WILKINS, C. J. *see* LOWSON, S. M. 465–468
WILLIAMS, J. D. *see* TURNER, G. A. 365–369
WILLIAMS, K. N., CARLI, F. and CORMACK, R. S. Unexpected, difficult laryngoscopy: a prospective survey in routine general surgery 38–44
WILLIAMSON, R. Blind nasal intubation the only option? (*C*) 273
WILSON, A. *see* GASSER, A. J., (*ARS*) 402P
WINDRAM, I. *see* TROTTER, T., (*ARS*) 405P
WINKLER, M. *see* HACKL, W. 138–140
WONG, D. *see* MOSTAFA, S. M., (*ARS*) 409–410P
WOO, D. C. S. *see* TSUI, S. L. 134–137
WOOD, A. J. J. *see* MOULTON PERRY, S. 66–72; WOOD, M., (*R*) 150
WOOD, M. and WOOD, A. J. J., (editors) *Drugs and Anesthesia: Pharmacology for the Anesthesiologist*, (*R*) 150
WOOD, M. *see* MOULTON PERRY, S. 66–72
WRIGHT, J. *see* MCCARTHY, G. 713–715
WRIGLEY, S. R., FAIRFIELD, J. E., AMMAR, T. A. and JONES, R. M. Comparison of recovery characteristics after desflurane and propofol for day care anaesthesia, (*ARS*) 407P
WYLD, R. *see* MCHUGH, P. 285–291

YAKU, H. *see* SAITOH, N. 340–344
YAMADA, M. *see* SAITOH, N. 340–344
YEAGER, M. P. and GLASS, D. D., (editors) *Anesthesiology and Vascular Surgery: Perioperative Management of the Vascular Surgical Patient*, 1st Edn, (*R*) 148–149
YEATES, H. A. *see* MCKINNEY, M. S., (*ARS*) 413P

ZBINDEN, A. M. *see* FREI, F. J. 331–339
ZUURMOND, W. W. A. *see* KALKMAN, C. J. 483–489

SUBJECT INDEX

ABC of Transfusion, 1st Edn, CONTRERAS, M., (editor), (*R*) 150

Acupuncture, Is self-stimulaton of P6 feasible as an antiemetic in cancer chemotherapy? MCMILLAN, C., *et al.*, (*ARS*) 410P

Adolescents, Ingestion of clear fluids is safe for adolescents up to 3 h before anaesthesia, SPLINTER, W. M., *et al.* 48–52

Advances in Pain Research and Therapy 14: Opioid Analgesia, BENEDETTI, V., *et al.*, (editors), (*R*) 277–278

Age factors, Arterial washin of halothane and isoflurane in young and elderly adult patients, DWYER, R. C., *et al.* 572–579

——, Effect of ketanserin on intraoperative blood loss during total hip arthroplasty in elderly patients under general anaesthesia, VAN EE, R., *et al.* 496–499

——, Halothane and isoflurane anaesthesia reduce cardiac index in the elderly, MCKINNEY, M. S., *et al.*, (*ARS*) 413P

——, Influence of age on atelectasis formation and gas exchange impairment during general anaesthesia, GUNNARSON, L., *et al.* 423–432

——, Ingestion of clear fluids is safe for adolescents up to 3 h before anaesthesia, SPLINTER, W. M., *et al.* 48–52

——, Postoperative protein metabolism: effect of nursing elderly patients for 24 h after abdominal surgery in a thermoneutral environment, CARLI, F., *et al.* 292–299

——, Preoxygenation techniques in the elderly, MCCARTHY, G., *et al.*, (*ARS*) 397–398P

Airway, anatomy, Effect of general anaesthesia on the pharynx, NANDI, P. R., *et al.* 157–162

Airway, muscles, "Keep a clear airway", DRUMMOND, G. B., (*E*) 153–156

Airway, obstruction, Diagnostic and management dilemmas in a patient with tracheal trauma, BRIERLEY, J. K., *et al.* 724–727

——, Effect of general anaesthesia on the pharynx, NANDI, P. R., *et al.* 157–162

Airway, patency, "Keep a clear airway", DRUMMOND, G. B., (*E*) 153–156

Airway, resistance, Flow resistance of the laryngeal mask in awake subjects, FERGUSON, C., *et al.*, (*ARS*) 400P

——, Resistance of humidifiers, and inspiratory work imposed by a ventilator–humidifier circuit, OH, T. E., *et al.* 258–263

Airway, tongue, Effect of general anaesthesia on the pharynx, NANDI, P. R., *et al.* 157–162

An Introduction to Cardiovascular Physiology, LEVICK, J. R., (*R*) 419

Anaesthesia, adolescent, Ingestion of clear fluids is safe for adolescents up to 3 h before anaesthesia, SPLINTER, W. M., *et al.* 48–52

Anaesthesia, costing, Cost of low flow anaesthesia, COTTER, S. M., *et al.*, (*ARS*) 408–409P

Anaesthesia, day-case, Comparison of recovery characteristics after desflurane and propofol for day care anaesthesia, WRIGLEY, S. R., *et al.*, (*ARS*) 407P

——, Computerized dynamic posturography: a new method for the evaluation of postural stability following anaesthesia, GUPTA, A., *et al.* 667–672

——, Reversal of benzodiazepine sedation with the antagonist flumazenil, SANDERS, L. D., *et al.* 445–453

Anaesthesia, dental, Use of continuous positive airway pressure in paediatric dental extraction under general anaesthesia, SURESH, D., *et al.* 200–204

Anaesthesia, depth, Changes in amplitude and latency of an event-related potential with depression of consciousness by nitrous oxide, JESSOP, J., *et al.*, (*ARS*) 400P

——, Conscious awareness during general anaesthesia—what are we attempting to monitor? JESSOP, J., *et al.*, (*E*) 635–637

——, Oesophageal contractility during total i.v. anaesthesia with and without glycopyrronium, RAFTERY, S., *et al.* 566–571

——, The auditory steady state response during sufentanil anaesthesia, PLOURDE, G., *et al.* 683–691

——, Towards a standardized anaesthetic state using enflurane and morphine, ROBB, H. M., *et al.* 358–364

Anaesthesia for Day Case Surgery. Baillière's Clinical Anaesthesiology—International Practice and Research, Vol. 4, No. 3, HEALY, T. E. J., (editor), (*R*) 736–737

Anaesthesia, general, Cellular mechanisms in general anaesthesia, POCOCK, G., *et al.* 116–128

——, Effect of general anaesthesia on the pharynx, NANDI, P. R., *et al.* 157–162

——, Human learning during general anaesthesia and surgery, BLOCK, R. I., *et al.* 170–178

——, Influence of age on atelectasis formation and gas exchange impairment during general anaesthesia, GUNNARSON, L., *et al.* 423–432

——, Ingestion of clear fluids is safe for adolescents up to 3 h before anaesthesia, SPLINTER, W. M., *et al.* 48–52

——, Pacemaker failure on induction of anaesthesia, FINFER, S. R. 509–512

——, Posterior spinal fusion in Sotos' syndrome, SURESH, D. 728–732

——, Sensory information processing during general anaesthesia: effect of isoflurane on auditory evoked neuronal oscillations, MADLER, C., *et al.* 81–87

——, Use of continuous positive airway pressure in paediatric dental extraction under general anaesthesia, SURESH, D., *et al.* 200–204

Anaesthesia, geriatric, Comparison of flumazenil with aminophylline to antagonize midazolam in elderly patients, SIBAI, A. N., *et al.* 591–595

——, Effect of ketanserin on intraoperative blood loss during total hip arthroplasty in elderly patients under general anaesthesia, VAN EE, R., *et al.* 496–499

——, Halothane and isoflurane anaesthesia reduce cardiac index in the elderly, MCKINNEY, M. S., *et al.*, (*ARS*) 413P

——, Postoperative protein metabolism: effect of nursing elderly patients for 24 h after abdominal surgery in a thermoneutral environment, CARLI, F., *et al.* 292–299

——, Preoxygenation techniques in the elderly, MCCARTHY, G., *et al.*, (*ARS*) 397–398P

Anaesthesia, low flow, Cost of low flow anaesthesia, COTTER, S. M., *et al.*, (*ARS*) 408–409P

Anaesthesia, obstetric, Adrenaline, fentanyl or adrenaline and fentanyl as adjuncts to bupivacaine for extradural anaesthesia in elective Caesarean section, NOBLE, D. W., *et al.* 645–650

——, Anaesthesia for simultaneous Caesarean section and clipping of intracerebral aneurysm, SURY, M. R. J., *et al.*, (*C*) 145
——, Aspirin and extradural blocks, MACDONALD, R., (*E*) 1–3
——, Attenuation of the pressor response to tracheal intubation in hypertensive proteinuric pregnant patients by lignocaine, alfentanil and magnesium sulphate, ALLEN, R. W., *et al.* 216–223
——, Bacterial meningitis following spinal anaesthesia for Caesarean section, LEE, J. J., *et al.* 383–386
——, Biochemical assessment of preoperative stress: a study with diazepam and measurement of monoamine metabolites and catecholamines in cerebrospinal fluid and plasma, KANTO, J., *et al.* 587–590
——, Comparative study of the effects of air or saline to identify the extradural space, VALENTINE, S. J., *et al.* 224–227
——, Comparison of four subarachnoid solutions in a needle-through-needle technique for elective Caesarean section, RANDALLS, B., *et al.* 314–318
——, Comparison of incremental spinal anaesthesia using a 32-gauge catheter with extradural anaesthesia for elective Caesarean section, KESTIN, I. G., *et al.* 232–236
——, Dextran preloading before extradural block, SLADE, J. M., (*C*) 631
——, Dextran preloading before extradural block, WENNBERG, E., (*C*) 631
——, Extradural diamorphine with adrenaline in labour: comparison with diamorphine and bupivacaine, KEENAN, G. M. A., *et al.* 242–246
——, Extradural, spinal or combined block for obstetric surgical anaesthesia, CARRIE, L. E. S., (*C*) 528
——, Extradural, spinal or combined block for obstetric surgical anaesthesia, DUTTON, D. A., *et al.*, (*C*) 528
——, 29-Gauge spinal needles, CARRIE, L. E. S., *et al.*, (*C*) 145–146
——, HELLP syndrome: a case report with guidelines for diagnosis and management, PATTERSON, K. W., *et al.* 513–515
——, Influence of the lumbar interspace chosen for injection on the spread of hyperbaric 0.5% bupivacaine, LOWSON, S. M., *et al.* 465–468
——, Measurement of transthoracic electrical impedance, THOMAS, A. N., *et al.*, (*C*) 733–734
——, Measurement of transthoracic electrical impedance, WENNBERG, E., (*C*) 734
——, Spinal anaesthesia in obstetrics, KESTIN, I. G. 596–607
——, Transplacental distribution of atracurium, laudanosine and monoquaternary alcohol during elective Caesarean section, SHEARER, E. S., *et al.* 551–556
——, Uteroplacental and fetal haemodynamics during extradural anaesthesia for Caesarean section, ALAHUHTA, S., *et al.* 319–323

Anaesthesia, outpatient, Can a computer help with preanaesthetic assessment? MCCLYMONT, W., *et al.*, (*ARS*) 405P
——, Comparison of intranasal sufentanil and oral trimeprazine for premedication of children, UNGERER, M. J., *et al.*, (*ARS*) 406P
——, Psychomotor recovery after outpatient anaesthesia: individual impairment may be masked by group analysis, HICKEY, S., *et al.* 345–352
——, Use of continuous positive airway pressure in paediatric dental extraction under general anaesthesia, SURESH, D., *et al.* 200–204

Anaesthesia, paediatric, Anaesthesia and congenital agranulocytosis: influence of anaesthetic agent on neutrophil numbers in a patient with Kostmann's syndrome, FENNER, S. G., *et al.* 620–624
——, Anaesthetic management of a 2-month-old infant for laser resection of vocal cord granuloma, TSUI, S. L., *et al.* 134–137
——, Antagonism of the hypnotic effect of midazolam in children: a randomized, double-blind study of placebo and flumazenil administered after midazolam-induced anaesthesia, JONES, R. D. M., *et al.* 660–666
——, Bilateral chylothorax, COOPER, P., *et al.* 387–390
——, Comparison of intranasal sufentanil and oral trimeprazine for premedication of children, UNGERER, M. J., *et al.*, (*ARS*) 406P
——, Effect of isoflurane on the N20 component of the median nerve somatosensory evoked potentials in children, HIGGINS, D., *et al.*, (*ARS*) 399–400P
——, Pulmonary oedema following relief of upper airway obstruction in the Pierre–Robin syndrome: a consequence of early palatal repair? LYNCH, M., *et al.* 391–393
——, Respiratory complications and hypoxic episodes during inhalation induction with isoflurane in children, WARDE, D., *et al.* 327–330
——, Sequential measurement of somatosensory evoked potentials during isoflurane anaesthesia in children, MASON, D. G., *et al.*, (*ARS*) 399P
——, The Humphry ADE system: evaluation in paediatric use, ORLIKOWSKI, C. E. P., *et al.* 253–257
——, Use of continuous positive airway pressure in paediatric dental extraction under general anaesthesia, SURESH, D., *et al.* 200–204

Anaesthesia Review 7, 7th Edn, KAUFMAN, L., (editor), (*R*) 277

Anaesthetic–analgesic regimens, Total i.v. anaesthesia with propofol and alfentanil for coronary artery bypass grafting, MANARA, A. R., *et al.* 716–718
——, Towards a standardized anaesthetic state using enflurane and morphine, ROBB, H. M., *et al.* 358–364

Anaesthetic techniques, drawover, Domiciliary oxygen concentrators in anaesthesia, LEIGH, J., (*C*) 274
——, Domiciliary oxygen concentrators in anaesthesia, TIGHE, S. Q. M., (*C*) 273–274
——, Drawover anaesthesia and preoxygenation, LOWE, D. M., *et al.* 196–199

Anaesthetic techniques, extradural, Accuracy of placement of extradural needles in the L3–4 interspace: comparison of two methods of identifying L4, IEVINS, F. A. 381–382
——, Adrenaline, fentanyl or adrenaline and fentanyl as adjuncts to bupivacaine for extradural anaesthesia in elective Caesarean section, NOBLE, D. W., *et al.* 645–650
——, Anaesthesia for simultaneous Caesarean section and clipping of intracerebral aneurysm, SURY, M. R. J., *et al.*, (*C*) 145
——, Antithrombotic efficacy of continuous extradural analgesia after knee replacement, JØRGENSEN, L. N., *et al.* 8–12
——, Aspirin and extradural blocks, MACDONALD, R., (*E*) 1–3
——, Comparative study of the effects of air or saline to identify the extradural space, VALENTINE, S. J., *et al.* 224–227
——, Comparison of extradural ropivacaine and bupivacaine, BROCKWAY, M. S., *et al.* 31–37
——, Comparison of four subarachnoid solutions in a needle-through-needle technique for elective Caesarean section, RANDALLS, B., *et al.* 314–318
——, Comparison of high and low volume extradural infusions for postoperative analgesia, LEE, A., *et al.*, (*ARS*) 408P
——, Comparison of incremental spinal anaesthesia using a 32-gauge catheter with extradural anaesthesia for elective Caesarean section, KESTIN, I. G., *et al.* 232–236

——, Deep venous thrombosis and anaesthesia, McKENZIE, P. J., (*E*) 4–7
——, Dextran preloading before extradural block, SLADE, J. M., (*C*) 631
——, Dextran preloading before extradural block, WENNBERG, E., (*C*) 631
——, Extradural clonidine does not potentiate analgesia produced by extradural morphine after meniscectomy, VAN ESSEN, E. J., *et al.* 237–241
——, Extradural opioids, McQUAY, H. J, *et al.*, (*C*) 629–630
——, Extradural opioids, SMART, N. G., (*C*) 628–629
——, Extradural, spinal or combined block for obstetric surgical anaesthesia, CARRIE, L. E. S., (*C*) 528
——, Extradural, spinal or combined block for obstetric surgical anaesthesia, DUTTON, D. A., *et al.*, (*C*) 528
——, 29-Gauge spinal needles, CARRIE, L. E. S., *et al.*, (*C*) 145–146
——, Neurological complications following with use of continuous extradural analgesia with bupivacaine, DUNNE, N. M., *et al.* 617–619
——, Pharmacokinetic study of extradural and intrathecal sufentanil anaesthesia for major surgery, IONESCU, T. I., *et al.* 458–464
——, Sensitivity, specificity and predictive value of the sensation of warmth as a method of detecting inadvertent subarachnoid injection of local anaesthetic when performing extradural blocks, KALSO, E., *et al.* 614–616
——, Spinal anaesthesia in obstetrics, KESTIN, I. G. 596–607
——, Uteroplacental and fetal haemodynamics during extradural anaesthesia for Caesarean section, ALAHUHTA, S., *et al.* 319–323
——, Zones of differential sensory block during extradural anaesthesia, BRULL, S. J., *et al.* 651–655
Anaesthetic techniques, fibreoptic, Comparison of orthodox with fibreoptic orotracheal intubation under total i.v. anaesthesia, SCHAEFER, H.-G., *et al.* 608–610
——, Comparison of two methods of fibrescope-guided tracheal intubation, SMITH, J. E., *et al.* 546–550
——, Diagnostic and management dilemmas in a patient with tracheal trauma, BRIERLEY, J. K., *et al.* 724–727
——, Training in fibreoptic laryngoscopy, VAUGHAN, R. S., (*E*) 538–540
Anaesthetic techniques, hypotensive, Effects of trimetaphan on the cardiovascular response to tracheal intubation, SAITOH, N., *et al.* 340–344
Anaesthetic techniques, hypothermia, Pharmacokinetics and pharmacodynamics of atracurium during hypothermic cardiopulmonary bypass, GASSER, A. J., *et al.*, (*ARS*) 402P
Anaesthetic techniques, induction, Cranio–caudal movement of the sternum on induction of anaesthesia, LOGAN, M. R., *et al.* 433–436
——, Electroencephalographic changes during vital capacity breath induction with halothane, AVRAMOV, M. N., *et al.* 212–215
——, Respiratory complications and hypoxic episodes during inhalation induction with isoflurane in children, WARDE, D., *et al.* 327–330
Anaesthetic techniques, inhalation, Electroencephalographic changes during vital capacity breath induction with halothane, AVRAMOV, M. N., *et al.* 212–215
——, Respiratory complications and hypoxic episodes during inhalation induction with isoflurane in children, WARDE, D., *et al.* 327–330
Anaesthetic techniques, i.v., Reversal of benzodiazepine sedation with the antagonist flumazenil, SANDERS, L. D., *et al.* 445–453
Anaesthetic techniques, i.v. regional, Heart rate response to an i.v. test dose of adrenaline and lignocaine with and without atropine pretreatment, NARCHI, P., *et al.* 583–586
Anaesthetic techniques, local, Deep venous thrombosis and anaesthesia, McKENZIE, P. J., (*E*) 4–7
Anaesthetic techniques, preoxygenation, Drawover anaesthesia and preoxygenation, LOWE, D. M., *et al.* 196–199
——, Preoxygenation techniques in the elderly, McCARTHY, G., *et al.*, (*ARS*) 397–398P
Anaesthetic techniques, regional, Deep venous thrombosis and anaesthesia, McKENZIE, P. J., (*E*) 4–7
Anaesthetic techniques, regional, brachial plexus, Plasma concentrations of bupivacaine and two of its metabolites during continuous interscalene brachial plexus block, ROSENBERG, P. H., *et al.* 25–30
Anaesthetic techniques, regional, intercostal, Continuous spinal anaesthesia with a 28-gauge catheter, BARNARD, M. J., *et al.*, (*ARS*) 411–412P
Anaesthetic techniques, regional, interpleural, Interpleural regional analgesia: detection of the interpleural space by saline infusion, SCOTT, P. V. 131–133
Anaesthetic techniques, regional, lumbar plexus block, Effect of adrenaline on plasma concentrations of bupivacaine following lower limb nerve block, ROBISON, C., *et al.* 228–231
——, Plasma concentrations of bupivacaine following combined sciatic and femoral 3 in 1 nerve blocks in open knee surgery, MISRA, U., *et al.* 310–313
Anaesthetic techniques, regional, paravertebral block, Nocturnal patterns of oxygen saturation following thoracotomy, ENTWISTLE, M. D., *et al.*, (*ARS*) 396–397P
Anaesthetic techniques, regional, sciatic, Effect of adrenaline on plasma concentrations of bupivacaine following lower limb nerve block, ROBISON, C., *et al.* 228–231
——, Plasma concentrations of bupivacaine following combined sciatic and femoral 3 in 1 nerve blocks in open knee surgery, MISRA, U., *et al.* 310–313
Anaesthetic techniques, regional, stellate ganglion block, Spread of injectate after stellate ganglion block in man: an anatomical study, GUNTAMUKKALA, M., *et al.* 643–644
Anaesthetic techniques, subarachnoid, Accuracy of placement of extradural needles in the L3–4 interspace: comparison of two methods of identifying L4, IEVINS, F. A. 381–382
——, Bacterial meningitis following spinal anaesthesia for Caesarean section, LEE, J. J., *et al.* 383–386
——, Comparison of four subarachnoid solutions in a needle-through-needle technique for elective Caesarean section, RANDALLS, B., *et al.* 314–318
——, Comparison of incremental spinal anaesthesia using a 32-gauge catheter with extradural anaesthesia for elective Caesarean section, KESTIN, I. G., *et al.* 232–236
——, Continuous spinal anaesthesia with a 28-gauge catheter, BARNARD, M. J., *et al.*, (*ARS*) 411–412P
——, Deep venous thrombosis and anaesthesia, McKENZIE, P. J., (*E*) 4–7
——, Extradural, spinal or combined block for obstetric surgical anaesthesia, CARRIE, L. E. S., (*C*) 528
——, Extradural, spinal or combined block for obstetric surgical anaesthesia, DUTTON, D. A., *et al.*, (*C*) 528
——, 29-Gauge spinal needles, CARRIE, L. E. S., *et al.*, (*C*) 145–146
——, Influence of the lumbar interspace chosen for injection on the spread of hyperbaric 0.5% bupivacaine, LOWSON, S. M., *et al.* 465–468
——, Intrathecal morphine-6-glucuronide, HANNA, M. H., (*C*) 272

——, Intrathecal morphine-6-glucuronide, HARDY, P. A., (*C*) 271–272
——, Pharmacokinetic study of extradural and intrathecal sufentanil anaesthesia for major surgery, IONESCU, T. I., *et al.* 458–464
——, Sensitivity, specificity and predictive value of the sensation of warmth as a method of detecting inadvertent subarachnoid injection of local anaesthetic when performing extradural blocks, KALSO, E., *et al.* 614–616
——, Spinal anaesthesia in obstetrics, KESTIN, I. G. 596–607
——, Spinal anaesthesia with hypobaric bupivacaine, JAMES, R. H., (*C*) 272
——, Spinal anaesthesia with hypobaric bupivacaine, TUOMINEN, M., *et al.*, (*C*) 272–273
Anaesthetic techniques, test doses, Heart rate response to an i.v. test dose of adrenaline and lignocaine with and without atropine pretreatment, NARCHI, P., *et al.* 583–586
——, Sensitivity, specificity and predictive value of the sensation of warmth as a method of detecting inadvertent subarachnoid injection of local anaesthetic when performing extradural blocks, KALSO, E., *et al.* 614–616
Anaesthetic techniques, transdermal, Transdermal hyoscine and postoperative nausea and vomiting, HENDLEY, B. J., (*C*) 415
——, Transdermal hyoscine and postoperative nausea and vomiting, KOSKI, E. M. J., (*C*) 415
Anaesthetics gases, nitrous oxide, Changes in amplitude and latency of an event-related potential with depression of consciousness by nitrous oxide, JESSOP, J., *et al.*, (*ARS*) 400P
——, Differential effects of propofol and nitrous oxide on posterior tibial nerve somatosensory cortical evoked potentials during alfentanil anaesthesia, KALKMAN, C. J., *et al.* 483–489
——, Dimethylthiourea is not necessary to prevent the effects of nitrous oxide inactivation of methionine synthase, GILLMAN, M. A., (*C*) 274–275
——, Dimethylthiourea is not necessary to prevent the effects of nitrous oxide inactivation of methionine synthase, KOBLIN, D. D., (*C*) 275
——, Effect of low concentrations of nitrous oxide and isoflurane on peak velocity of saccadic eye movements, GAO, F., *et al.* 179–184
——, Effects of nitrous oxide on day 9 rat embryos grown in culture, BADEN, J. M., *et al.* 500–503
——, Nitrous oxide and formiminoglutamic acid: excretion in surgical patients and anaesthetists, ARMSTRONG, P., *et al.* 163–169
——, Nitrous oxide concentration in intravitreal gas during anaesthesia, MOSTAFA, S. M., *et al.*, (*ARS*) 409–410P
Anaesthetics i.v., alfentanil, Oesophageal contractility during total i.v. anaesthesia with and without glycopyrronium, RAFTERY, S., *et al.* 566–571
Anaesthetics i.v., Althesin, The Hering–Breuer reflex in man? GAUDY, J.-H., (*C*) 627
——, The Hering–Breuer reflex in man? NUNN, J. F., (*C*) 627–628
Anaesthetics i.v., etomidate, Effect of propofol and etomidate on the convulsive action of laudanosine in mice, AL-MUHANDIS, W. M., *et al.*, (*ARS*) 412P
——, Non-invasive measurement of changes in cardiac index during induction of anaesthesia, PRICE, M., *et al.*, (*ARS*) 409P
Anaesthetics i.v., methohexitone, Does glycine antagonism underlie the excitatory effects of propofol and methohexitone? SOAR, J., *et al.*, (*ARS*) 398P
——, Non-invasive measurement of changes in cardiac index during induction of anaesthesia, PRICE, M., *et al.*, (*ARS*) 409P
——, Pain on i.v. injection of some anaesthetic agents is evoked by the unphysiological osmolality or pH of their formulations, KLEMENT, W., *et al.* 189–195
——, Pharmacokinetics and clinical experience of 20-h infusions of methohexitone in intensive care patients with postoperative pyrexia, REDKE, F., *et al.* 53–59
Anaesthetics i.v., propofol, Brain and spinal cord metabolic activity during propofol anaesthesia, CAVAZZUTI, M., *et al.* 490–495
——, Comparison of recovery characteristics after desflurane and propofol for day care anaesthesia, WRIGLEY, S. R., *et al.*, (*ARS*) 407P
——, Differential effects of propofol and nitrous oxide on posterior tibial nerve somatosensory cortical evoked potentials during alfentanil anaesthesia, KALKMAN, C. J., *et al.* 483–489
——, Does glycine antagonism underlie the excitatory effects of propofol and methohexitone? SOAR, J., *et al.*, (*ARS*) 398P
——, Effect of i.v. anaesthesia with propofol on drug distribution and metabolism in the dog, MOULTON PERRY, S., *et al.* 66–72
——, Effect of lignocaine on pain during injection of propofol, STAFFORD, M. A., *et al.*, (*ARS*) 406–407P
——, Effect of propofol and etomidate on the convulsive action of laudanosine in mice, AL-MUHANDIS, W. M., *et al.*, (*ARS*) 412P
——, Myocardial metabolism during anaesthesia with propofol—low dose fentanyl for coronary artery bypass surgery, VERMEYEN, K. M., *et al.* 504–508
——, Non-invasive measurement of changes in cardiac index during induction of anaesthesia, PRICE, M., *et al.*, (*ARS*) 409P
——, Oesophageal contractility during total i.v. anaesthesia with and without glycopyrronium, RAFTERY, S., *et al.* 566–571
——, Optimal dose of lignocaine for preventing pain on injection of propofol, GEHAN, G., *et al.* 324–326
——, Pharmacokinetics of propofol, SHERRY, K., *et al.*, (*C*) 527–528
——, Pharmacokinetics of propofol, SIDHU, V. S., *et al.*, (*C*) 527
——, Propofol as an i.v. anaesthetic induction agent in variegate porphyria, MEISSNER, P. N., *et al.* 60–65
——, Propofol: effect on the myocardium compared with the peripheral vascular system, BOER, F., *et al.*, (*C*) 417
——, Propofol: effect on the myocardium compared with the peripheral vascular system, LIPPMANN, M., (*C*) 416–417
——, Propofol supports bacterial growth, THOMAS, D. V., (*C*) 274
——, Psychomotor recovery after outpatient anaesthesia: individual impairment may be masked by group analysis, HICKEY, S., *et al.* 345–352
——, Subhypnotic doses of thiopentone and propofol cause analgesia to experimentally induced acute pain, ANKER-MØLLER, E., *et al.* 185–188
——, Total i.v. anaesthesia with propofol and alfentanil for coronary artery bypass grafting, MANARA, A. R., *et al.* 716–718
——, Usefulness of propofol in torticollis, BORGEAT, A., (*C*) 530
Anaesthetics i.v., sufentanil, The auditory steady state response during sufentanil anaesthesia, PLOURDE, G., *et al.* 683–691
Anaesthetics i.v., thiopentone, Cranio–caudal movement of the sternum on induction of anaesthesia, LOGAN, M. R., *et al.* 433–436

——, Hypnotic and anaesthetic action of thiopentone and midazolam alone and in combination, SHORT, T. G., *et al.* 13–19
——, Non-invasive measurement of changes in cardiac index during induction of anaesthesia, PRICE, M., *et al.*, (*ARS*) 409P
——, Pain on i.v. injection of some anaesthetic agents is evoked by the unphysiological osmolality or pH of their formulations, KLEMENT, W., *et al.* 189–195
——, Subhypnotic doses of thiopentone and propofol cause analgesia to experimentally induced acute pain, ANKER-MØLLER, E., *et al.* 185–188
Anaesthetics local, bupivacaine, Adrenaline, fentanyl or adrenaline and fentanyl as adjuncts to bupivacaine for extradural anaesthesia in elective Caesarean section, NOBLE, D. W., *et al.* 645–650
——, Comparison of extradural ropivacaine and bupivacaine, BROCKWAY, M. S., *et al.* 31–37
——, Comparison of four subarachnoid solutions in a needle-through-needle technique for elective Caesarean section, RANDALLS, B., *et al.* 314–318
——, Comparison of high and low volume extradural infusions for postoperative analgesia, LEE, A., *et al.*, (*ARS*) 408P
——, Comparison of incremental spinal anaesthesia using a 32-gauge catheter with extradural anaesthesia for elective Caesarean section, KESTIN, I. G., *et al.* 232–236
——, Effect of adrenaline on plasma concentrations of bupivacaine following lower limb nerve block, ROBISON, C., *et al.* 228–231
——, Extradural diamorphine with adrenaline in labour: comparison with diamorphine and bupivacaine, KEENAN, G. M. A., *et al.* 242–246
——, Extradural, spinal or combined block for obstetric surgical anaesthesia, CARRIE, L. E. S., (*C*) 528
——, Extradural, spinal or combined block for obstetric surgical anaesthesia, DUTTON, D. A., *et al.*, (*C*) 528
——, Influence of the lumbar interspace chosen for injection on the spread of hyperbaric 0.5% bupivacaine, LOWSON, S. M., *et al.* 465–468
——, Neurological complications following with use of continuous extradural analgesia with bupivacaine, DUNNE, N. M., *et al.* 617–619
——, Nocturnal patterns of oxygen saturation following thoracotomy, ENTWISTLE, M. D., *et al.*, (*ARS*) 396–397P
——, Plasma concentrations of bupivacaine and two of its metabolites during continuous interscalene brachial plexus block, ROSENBERG, P. H., *et al.* 25–30
——, Plasma concentrations of bupivacaine following combined sciatic and femoral 3 in 1 nerve blocks in open knee surgery, MISRA, U., *et al.* 310–313
——, Sensitivity, specificity and predictive value of the sensation of warmth as a method of detecting inadvertent subarachnoid injection of local anaesthetic when performing extradural blocks, KALSO, E., *et al.* 614–616
——, Spinal anaesthesia with hypobaric bupivacaine, JAMES, R. H., (*C*) 272
——, Spinal anaesthesia with hypobaric bupivacaine, TUOMINEN, M., *et al.*, (*C*) 272–273
——, Uteroplacental and fetal haemodynamics during extradural anaesthesia for Caesarean section, ALAHUHTA, S., *et al.* 319–323
Anaesthetics local, cocaine, Delayed excitatory reaction following interaction of cocaine and monoamine oxidase inhibitor (phenelzine), TORDOFF, S. G., *et al.* 516–518
Anaesthetics local, lignocaine, Attenuation of the pressor response to tracheal intubation in hypertensive proteinuric pregnant patients by lignocaine, alfentanil and magnesium sulphate, ALLEN, R. W., *et al.* 216–223
——, Comparison of incremental spinal anaesthesia using a 32-gauge catheter with extradural anaesthesia for elective Caesarean section, KESTIN, I. G., *et al.* 232–236
——, Effect of lignocaine on pain during injection of propofol, STAFFORD, M. A., *et al.*, (*ARS*) 406–407P
——, Heart rate response to an i.v. test dose of adrenaline and lignocaine with and without atropine pretreatment, NARCHI, P., *et al.* 583–586
——, Intra-arterial regional analgesia of the hand, KOSCIELNIAK-NIELSEN, Z. J., *et al.* 719–720
——, Optimal dose of lignocaine for preventing pain on injection of propofol, GEHAN, G., *et al.* 324–326
——, Zones of differential sensory block during extradural anaesthesia, BRULL, S. J., *et al.* 651–655
Anaesthetics local, ropivacaine, Comparison of extradural ropivacaine and bupivacaine, BROCKWAY, M. S., *et al.* 31–37
Anaesthetics volatile, desflurane, Comparison of recovery characteristics after desflurane and propofol for day care anaesthesia, WRIGLEY, S. R., *et al.*, (*ARS*) 407P
Anaesthetics volatile, enflurane, Cost of low flow anaesthesia, COTTER, S. M., *et al.*, (*ARS*) 408–409P
——, Halothane and isoflurane anaesthesia reduce cardiac index in the elderly, MCKINNEY, M. S., *et al.*, (*ARS*) 413P
——, Towards a standardized anaesthetic state using enflurane and morphine, ROBB, H. M., *et al.* 358–364
——, Variation of plasma glutathione S transferase concentration in healthy volunteers, ALDRIDGE, L. M., *et al.*, (*ARS*) 413–414P
Anaesthetics volatile, halothane, Arterial washin of halothane and isoflurane in young and elderly adult patients, DWYER, R. C., *et al.* 572–579
——, Electroencephalographic changes during vital capacity breath induction with halothane, AVRAMOV, M. N., *et al.* 212–215
——, Halothane and isoflurane anaesthesia reduce cardiac index in the elderly, MCKINNEY, M. S., *et al.*, (*ARS*) 413P
——, The Hering–Breuer reflex in man? GAUDY, J.-H., (*C*) 627
——, The Hering–Breuer reflex in man? NUNN, J. F., (*C*) 627–628
——, Variation of plasma glutathione S transferase concentration in healthy volunteers, ALDRIDGE, L. M., *et al.*, (*ARS*) 413–414P
Anaesthetics volatile, isoflurane, Arterial washin of halothane and isoflurane in young and elderly adult patients, DWYER, R. C., *et al.* 572–579
——, Cost of low flow anaesthesia, COTTER, S. M., *et al.*, (*ARS*) 408–409P
——, Dose-related effects of isoflurane associated with low plasma concentrations of verapamil on global and regional function in normal and compromised canine myocardium, ARVIEUX, C. C., *et al.* 673–682
——, Effect of isoflurane on the N20 component of the median nerve somatosensory evoked potentials in children, HIGGINS, D., *et al.*, (*ARS*) 399–400P
——, Effect of low concentrations of nitrous oxide and isoflurane on peak velocity of saccadic eye movements, GAO, F., *et al.* 179–184
——, Effect of ventilation and cardiac output on the uptake of anaesthetic agents from different breathing systems: a theoretical study, LOCKWOOD, G. G., *et al.* 519–526
——, Is the end-tidal partial pressure of isoflurane a good predictor of its arterial partial pressure? FREI, F. J., *et al.* 331–339
——, Respiratory complications and hypoxic episodes during inhalation induction with isoflurane in children, WARDE, D., *et al.* 327–330

——, Sensory information processing during general anaesthesia: effect of isoflurane on auditory evoked neuronal oscillations, MADLER, C., *et al.* 81–87
——, Sequential measurement of somatosensory evoked potentials during isoflurane anaesthesia in children, MASON, D. G., *et al.*, (*ARS*) 399P
Anaesthetist, advisory service, NAARAS: the advisory service to anaesthetists provided by the Supraregional Protein Reference Unit in Sheffield, WATKINS, J., (*C*) 274
Anaesthetist, risks, Nitrous oxide and formiminoglutamic acid: excretion in surgical patients and anaesthetists, ARMSTRONG, P., *et al.* 163–169
Analgesia, geriatric, Intra-arterial regional analgesia of the hand, KOSCIELNIAK-NIELSEN, Z. J., *et al.* 719–720
Analgesia, postoperative, Comparison of high and low volume extradural infusions for postoperative analgesia, LEE, A., *et al.*, (*ARS*) 408P
Analgesic techniques, Non-steroidal anti-inflammatory drugs: rationale for use in severe postoperative pain, DAHL, J. B., *et al.* 703–712
Analgesic techniques, extradural, Extradural diamorphine with adrenaline in labour: comparison with diamorphine and bupivacaine, KEENAN, G. M. A., *et al.* 242–246
Analgesic techniques, regional, i.a., Intra-arterial regional analgesia of the hand, KOSCIELNIAK-NIELSEN, Z. J., *et al.* 719–720
Analgesic techniques, subarachnoid, Intrathecal morphine-6-glucuronide, HANNA, M. H., (*C*) 272
——, Intrathecal morphine-6-glucuronide, HARDY, P. A., (*C*) 271–272
Analgesics non-opioid, aspirin, Aspirin and extradural blocks, MACDONALD, R., (*E*) 1–3
Analgesics, non-steroidal, Non-steroidal anti-inflammatory drugs: rationale for use in severe postoperative pain, DAHL, J. B., *et al.* 703–712
Analgesics, opioid, Opioid receptors and their ligands: natural and unnatural, PLEUVRY, B. J. 370–380
Analgesics opioid, alfentanil, Differential effects of propofol and nitrous oxide on posterior tibial nerve somatosensory cortical evoked potentials during alfentanil anaesthesia, KALKMAN, C. J., *et al.* 483–489
——, Total i.v. anaesthesia with propofol and alfentanil for coronary artery bypass grafting, MANARA, A. R., *et al.* 716–718
Analgesics opioid, buprenorphine, Effect of sublingual buprenorphine on gastric emptying of a liquid meal, TROTTER, T., *et al.*, (*ARS*) 405P
Analgesics opioid, diamorphine, Comparison of high and low volume extradural infusions for postoperative analgesia, LEE, A., *et al.*, (*ARS*) 408P
——, Comparison of speed of onset of analgesic effect of diamorphine and morphine, MORRISON, L. M., *et al.* 656–659
——, Extradural diamorphine with adrenaline in labour: comparison with diamorphine and bupivacaine, KEENAN, G. M. A., *et al.* 242–246
Analgesics opioid, fentanyl, Adrenaline, fentanyl or adrenaline and fentanyl as adjuncts to bupivacaine for extradural anaesthesia in elective Caesarean section, NOBLE, D. W., *et al.* 645–650
——, Attenuation of the pressor response to tracheal intubation in hypertensive proteinuric pregnant patients by lignocaine, alfentanil and magnesium sulphate, ALLEN, R. W., *et al.* 216–223
——, Extradural opioids, MCQUAY, H. J, *et al.*, (*C*) 629–630
——, Extradural opioids, SMART, N. G., (*C*) 628–629
——, Myocardial metabolism during anaesthesia with propofol—low dose fentanyl for coronary artery bypass surgery, VERMEYEN, K. M., *et al.* 504–508
Analgesics opioid, morphine, Comparison of speed of onset of analgesic effect of diamorphine and morphine, MORRISON, L. M., *et al.* 656–659
——, Disposition of morphine-6-glucuronide and morphine in healthy volunteers, HANNA, M. H., *et al.* 103–107
——, Extradural clonidine does not potentiate analgesia produced by extradural morphine after meniscectomy, VAN ESSEN, E. J., *et al.* 237–241
——, Intrathecal morphine-6-glucuronide, HANNA, M. H., (*C*) 272
——, Intrathecal morphine-6-glucuronide, HARDY, P. A., (*C*) 271–272
——, Towards a standardized anaesthetic state using enflurane and morphine, ROBB, H. M., *et al.* 358–364
Analgesics opioid, morphine-6-glucuronide, Disposition of morphine-6-glucuronide and morphine in healthy volunteers, HANNA, M. H., *et al.* 103–107
——, Intrathecal morphine-6-glucuronide, HANNA, M. H., (*C*) 272
——, Intrathecal morphine-6-glucuronide, HARDY, P. A., (*C*) 271–272
Analgesics opioid, nalbuphine, Pain on i.v. injection of some anaesthetic agents is evoked by the unphysiological osmolality or pH of their formulations, KLEMENT, W., *et al.* 189–195
Analgesics opioid, pethidine, Extradural opioids, MCQUAY, H. J, *et al.*, (*C*) 629–630
——, Extradural opioids, SMART, N. G., (*C*) 628–629
Analgesics opioid, sufentanil, Cardiorespiratory effects of sufentanil, UN, E. N., *et al.*, (*ARS*) 394P
——, Comparison of intranasal sufentanil and oral trimeprazine for premedication of children, UNGERER, M. J., *et al.*, (*ARS*) 406P
——, Pharmacokinetic study of extradural and intrathecal sufentanil anaesthesia for major surgery, IONESCU, T. I., *et al.* 458–464
Anatomy, airway, Effect of general anaesthesia on the pharynx, NANDI, P. R., *et al.* 157–162
Anatomy, cricothyroid space, Minitracheotomy—impossible cannulation, COMBES, P., *et al.*, (*C*) 275
Anatomy, extradural space, Accuracy of placement of extradural needles in the L3–4 interspace: comparison of two methods of identifying L4, IEVINS, F. A. 381–382
——, Comparative study of the effects of air or saline to identify the extradural space, VALENTINE, S. J., *et al.* 224–227
Anatomy, pharynx, Effect of general anaesthesia on the pharynx, NANDI, P. R., *et al.* 157–162
Anatomy, spinal cord, Failed tracheal intubation, CALDER, I., (*C*) 415–416
Anatomy, stellate ganglion, Spread of injectate after stellate ganglion block in man: an anatomical study, GUNTAMUKKALA, M., *et al.* 643–644
Anesthesiology and Vascular Surgery: Perioperative Management of the Vascular Surgical Patient, 1st Edn, YEAGER, M. P., *et al.*, (editors), (*R*) 148–149
Antacids, cimetidine, Effect of H_2-receptor antagonist pretreatment on vecuronium- and atracurium-induced neuromuscular block, MCCARTHY, G., *et al.* 713–715
Antacids, metoclopramide, Metoclopramide and renal vascular resistance, MANARA, A. R., *et al.* 129–130
Antacids, ranitidine, Effect of H_2-receptor antagonist pretreatment on vecuronium- and atracurium-induced neuromuscular block, MCCARTHY, G., *et al.* 713–715
Antagonists benzodiazepine, aminophylline, Comparison of flumazenil with aminophylline to antagonize midazolam in elderly patients, SIBAI, A. N., *et al.* 591–595

Antagonists benzodiazepine, flumazenil, Antagonism of the hypnotic effect of midazolam in children: a randomized, double-blind study of placebo and flumazenil administered after midazolam-induced anaesthesia, JONES, R. D. M., *et al.* 660–666
——, Comparison of flumazenil with aminophylline to antagonize midazolam in elderly patients, SIBAI, A. N., *et al.* 591–595
——, Reversal of benzodiazepine sedation with the antagonist flumazenil, SANDERS, L. D., *et al.* 445–453
Antagonists, neuromuscular block, edrophonium, Determinants of the reversal time of competitive neuromuscular block by anticholinesterases, BEEMER, G. H., *et al.* 469–475
Antagonists, neuromuscular block, neostigmine, Determinants of the reversal time of competitive neuromuscular block by anticholinesterases, BEEMER, G. H., *et al.* 469–475
Antagonists, neuromuscular block, pyridostigmine, Effect of pretreatment with oral pyridostigmine on subsequent activity of alcuronium in non-anaesthetized subjects, TURNER, G. A., *et al.* 365–369
Arterial pressure, hypertension, HELLP syndrome: a case report with guidelines for diagnosis and management, PATTERSON, K. W., *et al.* 513–515
Arterial pressure, hypotension, Propofol: effect on the myocardium compared with the peripheral vascular system, BOER, F., *et al.*, (*C*) 417
——, Propofol: effect on the myocardium compared with the peripheral vascular system, LIPPMANN, M., (*C*) 416–417
Arterial pressure, regulation automatic, Towards a standardized anaesthetic state using enflurane and morphine, ROBB, H. M., *et al.* 358–364
Assessment, preanaesthetic, Can a computer help with preanaesthetic assessment? MCCLYMONT, W., *et al.*, (*ARS*) 405P
Ataractics, MAO inhibitors, Delayed excitatory reaction following interaction of cocaine and monoamine oxidase inhibitor (phenelzine), TORDOFF, S. G., *et al.* 516–518
Awareness, Changes in amplitude and latency of an event-related potential with depression of consciousness by nitrous oxide, JESSOP, J., *et al.*, (*ARS*) 400P
——, Conscious awareness during general anaesthesia—what are we attempting to monitor? JESSOP, J., *et al.*, (*E*) 635–637
——, Human learning during general anaesthesia and surgery, BLOCK, R. I., *et al.* 170–178
——, Pharmacokinetics of propofol, SHERRY, K., *et al.*, (*C*) 527–528
——, Pharmacokinetics of propofol, SIDHU, V. S., *et al.*, (*C*) 527

Biotransformation (drug), atracurium, Effect of arterial carbon dioxide tension on the duration of action of atracurium, PLATT, M., *et al.* 45–47
Biotransformation (drug), bupivacaine, Plasma concentrations of bupivacaine and two of its metabolites during continuous interscalene brachial plexus block, ROSENBERG, P. H., *et al.* 25–30
Biotransformation (drug), propranolol, Effect of i.v. anaesthesia with propofol on drug distribution and metabolism in the dog, MOULTON PERRY, S., *et al.* 66–72
Blood, colloid osmotic pressure, Priming of cardiopulmonary bypass with human albumin or Ringer lactate: effect on colloid osmotic pressure and extravascular lung water, HOEFT, A., *et al.* 73–80
Blood, flow, feto-uteroplacental, Uteroplacental and fetal haemodynamics during extradural anaesthesia for Caesarean section, ALAHUHTA, S., *et al.* 319–323
Blood, haemodilution, Blood conservation, TURNER, D. A. B., (*E*) 281–284
Blood, haemoglobin, Study of the effect of Picolax bowel preparation on body weight, cardiovascular variables and haemoglobin concentration, BARKER, P., *et al.*, (*ARS*) 410–411P
Blood, leucocytes, Anaesthesia and congenital agranulocytosis: influence of anaesthetic agent on neutrophil numbers in a patient with Kostmann's syndrome, FENNER, S. G., *et al.* 620–624
——, *In vitro* effect of additives in benzodiazepine solutions on the superoxide anion-generating system in polymorphonuclear leucocytes, MORISAKI, H., *et al.* 97–102
Blood, loss, Aspirin and extradural blocks, MACDONALD, R., (*E*) 1–3
——, Effect of ketanserin on intraoperative blood loss during total hip arthroplasty in elderly patients under general anaesthesia, VAN EE, R., *et al.* 496–499
Blood, neutrophils, Anaesthesia and congenital agranulocytosis: influence of anaesthetic agent on neutrophil numbers in a patient with Kostmann's syndrome, FENNER, S. G., *et al.* 620–624
Blood, PCV, Measurement of transthoracic electrical impedance, THOMAS, A. N., *et al.*, (*C*) 733–734
——, Measurement of transthoracic electrical impedance, WENNBERG, E., (*C*) 734
Blood, platelets, Aspirin and extradural blocks, MACDONALD, R., (*E*) 1–3
Blood, salvage, Blood conservation, TURNER, D. A. B., (*E*) 281–284
Blood, transfusion, Blood conservation, TURNER, D. A. B., (*E*) 281–284
Book Reviews
ABC of Transfusion, 1st Edn, CONTRERAS, M., (editor), (*R*) 150
Advances in Pain Research and Therapy 14: Opioid Analgesia, BENEDETTI, V., *et al.*, (editors), (*R*) 277–278
An Introduction to Cardiovascular Physiology, LEVICK, J. R., (*R*) 419
Anaesthesia for Day Case Surgery. Baillière's Clinical Anaesthesiology—International Practice and Research, Vol. 4, No. 3, HEALY, T. E. J., (editor), (*R*) 736–737
Anaesthesia Review 7, 7th Edn, KAUFMAN, L., (editor), (*R*) 277
Anesthesiology and Vascular Surgery: Perioperative Management of the Vascular Surgical Patient, 1st Edn, YEAGER, M. P., *et al.*, (editors), (*R*) 148–149
Chest Physiotherapy in the Intensive Care Unit, 2nd Edn, MACKENZIE, C. F., *et al.*, (*R*) 149
Clinical Anaesthesiology. Automated Anaesthetic Records, 1st Edn, KENNY, G. N. C., (editor), (*R*) 531–532
Clinical Anaesthesiology. Intensive Care: Developments and Controversies, DOBB, G. J., (editor), (*R*) 736
Clinical Cases in Anesthesia, 1st Edn, TRACY, T. M., *et al.*, (*R*) 278
Clinical Neuroanaesthesia, CUCCHIARA, R. F., *et al.*, (editors), (*R*) 532–533
Clinical Oxygen Pressure Measurement II, EHRLY, A. M., *et al.*, (editors), (*R*) 418
Drugs and Anesthesia: Pharmacology for the Anesthesiologist, WOOD, M., *et al.*, (editors), (*R*) 150
Fiberoptic Airway Endoscopy in Anesthesia and Critical Care, OVASSAPIAN, A., (*R*) 278
Handbook of Critical Care, 3rd Edn, BERK, J. L., *et al.*, (editors), (*R*) 531
Intensive Care Manual, 3rd Edn, OH, T. E., (editor), (*R*) 148
Introduction to Respiratory Care, LEVITZKY, M. G., *et al.*, (editors), (*R*) 532
Major Chemical Disasters—Medical Aspects of Management, 1st Edn, MURRAY, V., (editor), (*R*) 277

Malignant Hyperthermia Neuromuscular Diseases and Anaesthesia, 1st Edn, MORTIER, W., *et al.*, (editors), (*R*) 418
Manuel d'Anesthésie Pédiatrique, 1st Edn, SAINT-MAURICE, C., *et al.*, (editors), (*R*) 736
Mastering Infrared Capnography, 1st Edn, KALENDA, Z., (*R*) 419
Monitoring in Anesthesia and Critical Care Medicine, 2nd Edn, BLITT, C. D., (editor), (*R*) 737
Outpatient Anaesthesia, WHITE, P. F., (editor), (*R*) 418–419
Patient Controlled Analgesia, FERRANTE, F. M., *et al.*, (editors), (*R*) 276–277
Problems in Respiratory Care: The Respiratory Muscles, TOBIN, M. J., (editor), (*R*) 632–633
Resuscitation and Training, BRISTOW, A., *et al.*, (editors), (*R*) 276
Spinal Cord Injuries. Anaesthetic and Associated Care, 1st Edn, ALDERSON, J. D., *et al.*, (editors), (*R*) 632
Studies of Narcosis. By Charles Ernest Overton, 1st Edn, LIPNICK, R. L., (editor), (*R*) 633
Textbook of Anaesthesia, 2nd Edn, AITKENHEAD, A. R., *et al.*, (editors), (*R*) 149–150
The Year Book of Critical Care Medicine, 8th Edn, ROGERS, M. C., *et al.*, (editors), (*R*) 632
Ventilation/Blood Flow and Gas Exchange, 5th Edn, WEST, J. B., (*R*) 276

Brain, cerebellum, Memory mechanisms, PONTE, J., (*C*) 529

Brain, cerebrospinal fluid, Biochemical assessment of preoperative stress: a study with diazepam and measurement of monoamine metabolites and catecholamines in cerebrospinal fluid and plasma, KANTO, J., *et al.* 587–590
——, *In vitro* comparison of CSF leakage after dural puncture with Haindl, Sprotte and Quincke needles, MORRISON, L. M., *et al.*, (*ARS*) 407–408P

Brain, electroencephalography, Electroencephalographic changes during vital capacity breath induction with halothane, AVRAMOV, M. N., *et al.* 212–215
——, The auditory steady state response during sufentanil anaesthesia, PLOURDE, G., *et al.* 683–691

Brain, evoked potentials, Differential effects of propofol and nitrous oxide on posterior tibial nerve somatosensory cortical evoked potentials during alfentanil anaesthesia, KALKMAN, C. J., *et al.* 483–489
——, Sensory information processing during general anaesthesia: effect of isoflurane on auditory evoked neuronal oscillations, MADLER, C., *et al.* 81–87
——, The auditory steady state response during sufentanil anaesthesia, PLOURDE, G., *et al.* 683–691

Brain, hippocampus, Memory mechanisms, PONTE, J., (*C*) 529

Brain, injury, Systems analysis applied to intracranial pressure waveforms and correlation with clinical status in head injured patients, LIN, E. S., *et al.* 476–482

Brain, intracranial pressure, Anaesthesia for simultaneous Caesarean section and clipping of intracerebral aneurysm, SURY, M. R. J., *et al.*, (*C*) 145

Brain, metabolism, Brain and spinal cord metabolic activity during propofol anaesthesia, CAVAZZUTI, M., *et al.* 490–495

Brain, saccadic eye movements, Effect of low concentrations of nitrous oxide and isoflurane on peak velocity of saccadic eye movements, GAO, F., *et al.* 179–184

Calcium channel block, norverapamil, Effect of verapamil on right ventricular pressure and atrial tachyarrhythmia after thoracotomy, LINDGREN, L., *et al.* 205–211

Calcium channel block, ryanodine, Ryanodine contracture: a potentially specific *in vitro* diagnostic test for malignant hyperthermia, HOPKINS, P. M., *et al.* 611–613

Calcium channel block, verapamil, Dose-related effects of isoflurane associated with low plasma concentrations of verapamil on global and regional function in normal and compromised canine myocardium, ARVIEUX, C. C., *et al.* 673–682
——, Effect of verapamil on right ventricular pressure and atrial tachyarrhythmia after thoracotomy, LINDGREN, L., *et al.* 205–211

Cancer, Intrathecal morphine-6-glucuronide, HANNA, M. H., (*C*) 272
——, Intrathecal morphine-6-glucuronide, HARDY, P. A., (*C*) 271–272
——, Is self-stimulaton of P6 feasible as an antiemetic in cancer chemotherapy? MCMILLAN, C., *et al.*, (*ARS*) 410P

Carbon dioxide, elimination, Carbon dioxide elimination following acute lung injury induced by i.v. ethchlorvynol in swine, JEBSON, P. J., *et al.*, (*ARS*) 395–396P

Carbon dioxide, extracorporeal removal, Interhospital transfer of a patient undergoing extracorporeal carbon dioxide removal, KEE, S. S., *et al.* 141–144

Carbon dioxide, partial pressure, Effect of arterial carbon dioxide tension on the duration of action of atracurium, PLATT, M., *et al.* 45–47

Cardiorespiratory system, effects, Cardiorespiratory effects of sufentanil, UN, E. N., *et al.*, (*ARS*) 394P

Cardiovascular system, effects, Study of the effect of Picolax bowel preparation on body weight, cardiovascular variables and haemoglobin concentration, BARKER, P., *et al.*, (*ARS*) 410–411P

Cardiovascular system, responses, Comparison of orthodox with fibreoptic orotracheal intubation under total i.v. anaesthesia, SCHAEFER, H.-G., *et al.* 608–610
——, Comparison of two methods of fibrescope-guided tracheal intubation, SMITH, J. E., *et al.* 546–550
——, Effect of clonidine on the circulation and vasoactive hormones after aortic surgery, QUINTIN, L., *et al.* 108–115
——, Effects of trimetaphan on the cardiovascular response to tracheal intubation, SAITOH, N., *et al.* 340–344
——, Propofol: effect on the myocardium compared with the peripheral vascular system, BOER, F., *et al.*, (*C*) 417
——, Propofol: effect on the myocardium compared with the peripheral vascular system, LIPPMANN, M., (*C*) 416–417
——, Uteroplacental and fetal haemodynamics during extradural anaesthesia for Caesarean section, ALAHUHTA, S., *et al.* 319–323

Cerebrospinal fluid, pressure, Systems analysis applied to intracranial pressure waveforms and correlation with clinical status in head injured patients, LIN, E. S., *et al.* 476–482

Chemotherapy, cancer, Is self-stimulaton of P6 feasible as an antiemetic in cancer chemotherapy? MCMILLAN, C., *et al.*, (*ARS*) 410P

Chest Physiotherapy in the Intensive Care Unit, 2nd Edn, MACKENZIE, C. F., *et al.*, (*R*) 149

Children, Comparison of intranasal sufentanil and oral trimeprazine for premedication of children, UNGERER, M. J., *et al.*, (*ARS*) 406P
——, Effect of isoflurane on the N20 component of the median nerve somatosensory evoked potentials in children, HIGGINS, D., *et al.*, (*ARS*) 399–400P
——, Respiratory complications and hypoxic episodes during inhalation induction with isoflurane in children, WARDE, D., *et al.* 327–330
——, Sequential measurement of somatosensory evoked potentials during isoflurane anaesthesia in children, MASON, D. G., *et al.*, (*ARS*) 399P

——, The Humphry ADE system: evaluation in paediatric use, ORLIKOWSKI, C. E. P., *et al.* 253–257
Clinical Anaesthesiology. Automated Anaesthetic Records, 1st Edn, KENNY, G. N. C., (editor), (*R*) 531–532
Clinical Anaesthesiology. Intensive Care: Developments and Controversies, DOBB, G. J., (editor), (*R*) 736
Clinical Cases in Anesthesia, 1st Edn, TRACY, T. M., *et al.*, (*R*) 278
Clinical Neuroanaesthesia, CUCCHIARA, R. F., *et al.*, (editors), (*R*) 532–533
Clinical Oxygen Pressure Measurement II, EHRLY, A. M., *et al.*, (editors), (*R*) 418
Complications, adult respiratory distress syndrome, Interhospital transfer of a patient undergoing extracorporeal carbon dioxide removal, KEE, S. S., *et al.* 141–144
Complications, airway obstruction, Pulmonary oedema following relief of upper airway obstruction in the Pierre–Robin syndrome: a consequence of early palatal repair? LYNCH, M., *et al.* 391–393
Complications, anaphylaxis, NAARAS: the advisory service to anaesthetists provided by the Supraregional Protein Reference Unit in Sheffield, WATKINS, J., (*C*) 274
Complications, aneurysm, Anaesthesia for simultaneous Caesarean section and clipping of intracerebral aneurysm, SURY, M. R. J., *et al.*, (*C*) 145
Complications, aortic perforation, Intraoperative death during lumbar discectomy, EWAH, B., *et al.* 721–723
Complications, arthritis, Intra-arterial regional analgesia of the hand, KOSCIELNIAK-NIELSEN, Z. J., *et al.* 719–720
Complications, atelectasis, Influence of age on atelectasis formation and gas exchange impairment during general anaesthesia, GUNNARSON, L., *et al.* 423–432
Complications, cancer, Intrathecal morphine-6-glucuronide, HANNA, M. H., (*C*) 272
——, Intrathecal morphine-6-glucuronide, HARDY, P. A., (*C*) 271–272
Complications, carboxyhaemoglobinaemia, Carboxyhaemoglobinaemia and pulse oximetry, VEGFORS, M., *et al.* 625–626
Complications, chylothorax, Bilateral chylothorax, COOPER, P., *et al.* 387–390
Complications, congenital agranulocytosis, Anaesthesia and congenital agranulocytosis: influence of anaesthetic agent on neutrophil numbers in a patient with Kostmann's syndrome, FENNER, S. G., *et al.* 620–624
Complications, convulsions, Effect of propofol and etomidate on the convulsive action of laudanosine in mice, AL-MUHANDIS, W. M., *et al.*, (*ARS*) 412P
Complications, death, Intraoperative death during lumbar discectomy, EWAH, B., *et al.* 721–723
Complications, eclampsia, Attenuation of the pressor response to tracheal intubation in hypertensive proteinuric pregnant patients by lignocaine, alfentanil and magnesium sulphate, ALLEN, R. W., *et al.* 216–223
——, HELLP syndrome: a case report with guidelines for diagnosis and management, PATTERSON, K. W., *et al.* 513–515
Complications, headache, Comparison of incremental spinal anaesthesia using a 32-gauge catheter with extradural anaesthesia for elective Caesarean section, KESTIN, I. G., *et al.* 232–236
——, 29-Gauge spinal needles, CARRIE, L. E. S., *et al.*, (*C*) 145–146
——, *In vitro* comparison of CSF leakage after dural puncture with Haindl, Sprotte and Quincke needles, MORRISON, L. M., *et al.*, (*ARS*) 407–408P
Complications, heat stroke, Muscle biopsy for diagnosis of malignant hyperthermia susceptibility in two patients with severe exercise-induced myolysis, HACKL, W., *et al.* 138–140
Complications, HELLP syndrome, HELLP syndrome: a case report with guidelines for diagnosis and management, PATTERSON, K. W., *et al.* 513–515
Complications, hepatic, Variation of plasma glutathione S transferase concentration in healthy volunteers, ALDRIDGE, L. M., *et al.*, (*ARS*) 413–414P
Complications, hyperalgesia, Non-steroidal anti-inflammatory drugs: rationale for use in severe postoperative pain, DAHL, J. B., *et al.* 703–712
Complications, hypertension, Effects of trimetaphan on the cardiovascular response to tracheal intubation, SAITOH, N., *et al.* 340–344
Complications, hyperthermia, Pharmacokinetics and clinical experience of 20-h infusions of methohexitone in intensive care patients with postoperative pyrexia, REDKE, F., *et al.* 53–59
Complications, hypoxaemia, Hypoxaemia during anaesthesia—an observer study, MOLLER, J. T., *et al.* 437–444
Complications, hypoxia, Chest physiotherapy, MACKENZIE, C. F., (*C*) 147
——, Respiratory complications and hypoxic episodes during inhalation induction with isoflurane in children, WARDE, D., *et al.* 327–330
Complications, intubation tracheal, Comparison of two methods for predicting difficult intubation, OATES, J. D. L., *et al.* 305–309
Complications, masseter spasm, Masseteric muscle spasm, DERRINGTON, M. C., *et al.*, (*C*) 271
——, Masseteric muscle spasm, LEARY, N. P., (*C*) 271
Complications, meningitis, Bacterial meningitis following spinal anaesthesia for Caesarean section, LEE, J. J., *et al.* 383–386
Complications, myolysis, Muscle biopsy for diagnosis of malignant hyperthermia susceptibility in two patients with severe exercise-induced myolysis, HACKL, W., *et al.* 138–140
Complications, neurological, Neurological complications following with use of continuous extradural analgesia with bupivacaine, DUNNE, N. M., *et al.* 617–619
Complications, obesity, Cranio–caudal movement of the sternum on induction of anaesthesia, LOGAN, M. R., *et al.* 433–436
Complications, oedema, Minitracheotomy—impossible cannulation, COMBES, P., *et al.*, (*C*) 275
——, Pulmonary oedema following relief of upper airway obstruction in the Pierre–Robin syndrome: a consequence of early palatal repair? LYNCH, M., *et al.* 391–393
Complications, pacemaker failure, Pacemaker failure on induction of anaesthesia, FINFER, S. R. 509–512
Complications, pneumothorax, Interpleural regional analgesia: detection of the interpleural space by saline infusion, SCOTT, P. V. 131–133
Complications, porphyria, Propofol as an i.v. anaesthetic induction agent in variegate porphyria, MEISSNER, P. N., *et al.* 60–65
Complications, respiratory, Respiratory complications and hypoxic episodes during inhalation induction with isoflurane in children, WARDE, D., *et al.* 327–330
Complications, sore throat, Comparison of orthodox with fibreoptic orotracheal intubation under total i.v. anaesthesia, SCHAEFER, H.-G., *et al.* 608–610
Complications, Sotos' syndrome, Posterior spinal fusion in Sotos' syndrome, SURESH, D. 728–732
Complications, tension pneumothorax, Tension pneumothorax and pulse oximetry, LAISHLEY, R. S., *et al.* 250–252
Complications, thromboembolism, Deep venous thrombosis and anaesthesia, MCKENZIE, P. J., (*E*) 4–7

Complications, thrombosis, Antithrombotic efficacy of continuous extradural analgesia after knee replacement, JØRGENSEN, L. N., *et al.* 8–12
——, Deep venous thrombosis and anaesthesia, MCKENZIE, P. J., (*E*) 4–7
Complications, torticollis, Usefulness of propofol in torticollis, BORGEAT, A., (*C*) 530
Complications, tracheal trauma, Diagnostic and management dilemmas in a patient with tracheal trauma, BRIERLEY, J. K., *et al.* 724–727

Developing country, Anaesthetic equipment for a developing country, PEDERSEN, J., *et al.* 264–270
Dimethylthiourea, Dimethylthiourea is not necessary to prevent the effects of nitrous oxide inactivation of methionine synthase, GILLMAN, M. A., (*C*) 274–275
——, Dimethylthiourea is not necessary to prevent the effects of nitrous oxide inactivation of methionine synthase, KOBLIN, D. D., (*C*) 275
Dog, Dose-related effects of isoflurane associated with low plasma concentrations of verapamil on global and regional function in normal and compromised canine myocardium, ARVIEUX, C. C., *et al.* 673–682
——, Effect of i.v. anaesthesia with propofol on drug distribution and metabolism in the dog, MOULTON PERRY, S., *et al.* 66–72
Drug delivery, buccal, Effect of sublingual buprenorphine on gastric emptying of a liquid meal, TROTTER, T., *et al.*, (*ARS*) 405P
Drug delivery, intranasal, Comparison of intranasal sufentanil and oral trimeprazine for premedication of children, UNGERER, M. J., *et al.*, (*ARS*) 406P
Drug delivery, oral, Comparison of intranasal sufentanil and oral trimeprazine for premedication of children, UNGERER, M. J., *et al.*, (*ARS*) 406P
——, Temazepam absorption in patients before surgery, HOSIE, H. E., *et al.* 20–24
Drug delivery, temperature, Extradural, spinal or combined block for obstetric surgical anaesthesia, CARRIE, L. E. S., (*C*) 528
——, Extradural, spinal or combined block for obstetric surgical anaesthesia, DUTTON, D. A., *et al.*, (*C*) 528
Drug delivery, transdermal, Transdermal hyoscine and postoperative nausea and vomiting, HENDLEY, B. J., (*C*) 415
——, Transdermal hyoscine and postoperative nausea and vomiting, KOSKI, E. M. J., (*C*) 415
Drugs and Anæsthesia: Pharmacology for the Anesthesiologist, WOOD, M., *et al.*, (editors), (*R*) 150

Embolism, thromboembolism, Deep venous thrombosis and anaesthesia, MCKENZIE, P. J., (*E*) 4–7
Enzymes, glutathione S-transferase, Variation of plasma glutathione S transferase concentration in healthy volunteers, ALDRIDGE, L. M., *et al.*, (*ARS*) 413–414P
Enzymes, methionine synthase, Dimethylthiourea is not necessary to prevent the effects of nitrous oxide inactivation of methionine synthase, GILLMAN, M. A., (*C*) 274–275
——, Dimethylthiourea is not necessary to prevent the effects of nitrous oxide inactivation of methionine synthase, KOBLIN, D. D., (*C*) 275
——, Nitrous oxide and formiminoglutamic acid: excretion in surgical patients and anaesthetists, ARMSTRONG, P., *et al.* 163–169
Enzymes, NADPH oxidase, *In vitro* effect of additives in benzodiazepine solutions on the superoxide anion-generating system in polymorphonuclear leucocytes, MORISAKI, H., *et al.* 97–102
Equipment, absorbers, Viability and distribution of bacteria after passage through a circle anaesthetic system, MURPHY, P. M., *et al.* 300–304
Equipment, anaesthesia machines, A servo-controlled anaesthetic machine, HUMPHREY, S. J. E., *et al.*, (*ARS*) 400–401P
——, Anaesthetic equipment for a developing country, PEDERSEN, J., *et al.* 264–270
——, Oxygen cylinders on anaesthesia machines, JAWAN, B., *et al.*, (*C*) 628
——, Oxygen cylinders on anaesthesia machines, SHANKAR, K. B., *et al.*, (*C*) 628
Equipment, analysers, A servo-controlled anaesthetic machine, HUMPHREY, S. J. E., *et al.*, (*ARS*) 400–401P
Equipment, breathing systems, Drawover anaesthesia and preoxygenation, LOWE, D. M., *et al.* 196–199
——, Effect of ventilation and cardiac output on the uptake of anaesthetic agents from different breathing systems: a theoretical study, LOCKWOOD, G. G., *et al.* 519–526
——, Efficiency of an enclosed afferent reservoir breathing system during controlled ventilation, DROPPERT, P. M., *et al.* 638–642
——, The Humphry ADE system: evaluation in paediatric use, ORLIKOWSKI, C. E. P., *et al.* 253–257
——, Viability and distribution of bacteria after passage through a circle anaesthetic system, MURPHY, P. M., *et al.* 300–304
Equipment, catheters subarachnoid, Comparison of incremental spinal anaesthesia using a 32-gauge catheter with extradural anaesthesia for elective Caesarean section, KESTIN, I. G., *et al.* 232–236
——, Continuous spinal anaesthesia with a 28-gauge catheter, BARNARD, M. J., *et al.*, (*ARS*) 411–412P
Equipment, Compas ambulatory units, Continuous ambulatory ECG monitoring in the perioperative period: relationship of preoperative status and outcome, MCHUGH, P., *et al.* 285–291
Equipment, computers, Can a computer help with preanaesthetic assessment? MCCLYMONT, W., *et al.*, (*ARS*) 405P
Equipment, cylinders, Oxygen cylinders on anaesthesia machines, JAWAN, B., *et al.*, (*C*) 628
—— Oxygen cylinders on anaesthesia machines, SHANKAR, K. B., *et al.*, (*C*) 628
Equipment, extracorporeal circulation, Interhospital transfer of a patient undergoing extracorporeal carbon dioxide removal, KEE, S. S., *et al.* 141–144
Equipment, helicopter ambulance, Interhospital transfer of a patient undergoing extracorporeal carbon dioxide removal, KEE, S. S., *et al.* 141–144
Equipment, humidifiers, Resistance of humidifiers, and inspiratory work imposed by a ventilator–humidifier circuit, OH, T. E., *et al.* 258–263
Equipment, laryngoscopes, Comparison of orthodox with fibreoptic orotracheal intubation under total i.v. anaesthesia, SCHAEFER, H.-G., *et al.* 608–610
——, Comparison of two methods of fibrescope-guided tracheal intubation, SMITH, J. E., *et al.* 546–550
——, Training in fibreoptic laryngoscopy, VAUGHAN, R. S., (*E*) 538–540
Equipment, lasers, Subhypnotic doses of thiopentone and propofol cause analgesia to experimentally induced acute pain, ANKER-MØLLER, E., *et al.* 185–188
Equipment, masks anaesthesia, Flow resistance of the laryngeal mask in awake subjects, FERGUSON, C., *et al.*, (*ARS*) 400P
Equipment, needles, Comparison of four subarachnoid solutions in a needle-through-needle technique for elective Caesarean section, RANDALLS, B., *et al.* 314–318
——, 29-Gauge spinal needles, CARRIE, L. E. S., *et al.*, (*C*) 145–146

——, *In vitro* comparison of CSF leakage after dural puncture with Haindl, Sprotte and Quincke needles, MORRISON, L. M., *et al.*, (*ARS*) 407–408P
Equipment, oxygen concentrators, Anaesthetic equipment for a developing country, PEDERSEN, J., *et al.* 264–270
——, Domiciliary oxygen concentrators in anaesthesia, LEIGH, J., (*C*) 274
——, Domiciliary oxygen concentrators in anaesthesia, TIGHE, S. Q. M., (*C*) 273–274
Equipment, pacemakers, Pacemaker failure on induction of anaesthesia, FINFER, S. R. 509–512
Equipment, pulse oximeters, Carboxyhaemoglobinaemia and pulse oximetry, VEGFORS, M., *et al.* 625–626
Equipment, sensors, Fluidic bistable amplifier as vapour concentration sensor, RODGERS, R. C., *et al.*, (*ARS*) 401–402P
Equipment, servo systems, A servo-controlled anaesthetic machine, HUMPHREY, S. J. E., *et al.*, (*ARS*) 400–401P
Equipment, tourniquets, Antithrombotic efficacy of continuous extradural analgesia after knee replacement, JØRGENSEN, L. N., *et al.* 8–12
Equipment, vaporizers, Anaesthetic equipment for a developing country, PEDERSEN, J., *et al.* 264–270
Equipment, ventilators, High frequency ventilation, SIDHU, V. S., *et al.*, (*C*) 630
——, High frequency ventilation, SMITH, B. E., (*C*) 630
——, Resistance of humidifiers, and inspiratory work imposed by a ventilator–humidifier circuit, OH, T. E., *et al.* 258–263
Errors, editorial, Ramon y Cajal, WALSH, B. E., (*C*) 417
Ethanol, Does glycine antagonism underlie the excitatory effects of propofol and methohexitone? SOAR, J., *et al.*, (*ARS*) 398P
Ethics, Ethics in publishing, SMITH, G., *et al.*, (*E*) 421–422
Eye, intravitreal gas, Nitrous oxide concentration in intravitreal gas during anaesthesia, MOSTAFA, S. M., *et al.*, (*ARS*) 409–410P

Fiberoptic Airway Endoscopy in Anesthesia and Critical Care, OVASSAPIAN, A., (*R*) 278
Fluid balance, Dextran preloading before extradural block, SLADE, J. M., (*C*) 631
——, Dextran preloading before extradural block, WENNBERG, E., (*C*) 631
——, Measurement of transthoracic electrical impedance, THOMAS, A. N., *et al.*, (*C*) 733–734
——, Measurement of transthoracic electrical impedance, WENNBERG, E., (*C*) 734
——, Priming of cardiopulmonary bypass with human albumin or Ringer lactate: effect on colloid osmotic pressure and extravascular lung water, HOEFT, A., *et al.* 73–80
——, Study of the effect of Picolax bowel preparation on body weight, cardiovascular variables and haemoglobin concentration, BARKER, P., *et al.*, (*ARS*) 410–411P
Fluids, i.v., I.v. fluids and minor gynaecological surgery: effect on recovery from anaesthesia, OOI, L. G. S., *et al.*, (*ARS*) 404P
Fluids, oral, Ingestion of clear fluids is safe for adolescents up to 3 h before anaesthesia, SPLINTER, W. M., *et al.* 48–52
Formulations, osmolality, Pain on i.v. injection of some anaesthetic agents is evoked by the unphysiological osmolality or pH of their formulations, KLEMENT, W., *et al.* 189–195
Formulations, pH, Pain on i.v. injection of some anaesthetic agents is evoked by the unphysiological osmolality or pH of their formulations, KLEMENT, W., *et al.* 189–195
Formulations, temazepam, Temazepam absorption in patients before surgery, HOSIE, H. E., *et al.* 20–24

Gases non-anaesthetic, Carboxyhaemoglobinaemia and pulse oximetry, VEGFORS, M., *et al.* 625–626
——, Effect of arterial carbon dioxide tension on the duration of action of atracurium, PLATT, M., *et al.* 45–47
Gastrointestinal tract, antimuscarinics, Oesophageal contractility during total i.v. anaesthesia with and without glycopyrronium, RAFTERY, S., *et al.* 566–571
Gastrointestinal tract, bowel function, Study of the effect of Picolax bowel preparation on body weight, cardiovascular variables and haemoglobin concentration, BARKER, P., *et al.*, (*ARS*) 410–411P
Gastrointestinal tract, emptying, Effect of sublingual buprenorphine on gastric emptying of a liquid meal, TROTTER, T., *et al.*, (*ARS*) 405P
Gastrointestinal tract, oesophageal contractility, Oesophageal contractility during total i.v. anaesthesia with and without glycopyrronium, RAFTERY, S., *et al.* 566–571
Gastrointestinal tract, pH, Ingestion of clear fluids is safe for adolescents up to 3 h before anaesthesia, SPLINTER, W. M., *et al.* 48–52
Gastrointestinal tract, preoperative fluids, Ingestion of clear fluids is safe for adolescents up to 3 h before anaesthesia, SPLINTER, W. M., *et al.* 48–52
Gastrointestinal tract, stomach antacids, Effect of H_2-receptor antagonist pretreatment on vecuronium- and atracurium-induced neuromuscular block, MCCARTHY, G., *et al.* 713–715
Gastrointestinal tract, volume, Ingestion of clear fluids is safe for adolescents up to 3 h before anaesthesia, SPLINTER, W. M., *et al.* 48–52
Glycine, Does glycine antagonism underlie the excitatory effects of propofol and methohexitone? SOAR, J., *et al.*, (*ARS*) 398P

Handbook of Critical Care, 3rd Edn, BERK, J. L., *et al.*, (editors), (*R*) 531
Heart, arrhythmia, Continuous ambulatory ECG monitoring in the perioperative period: relationship of preoperative status and outcome, MCHUGH, P., *et al.* 285–291
Heart arrhythmia, tachycardia, Effect of verapamil on right ventricular pressure and atrial tachyarrhythmia after thoracotomy, LINDGREN, L., *et al.* 205–211
Heart, blood flow, Myocardial metabolism during anaesthesia with propofol—low dose fentanyl for coronary artery bypass surgery, VERMEYEN, K. M., *et al.* 504–508
Heart, cardiac output, Effect of ventilation and cardiac output on the uptake of anaesthetic agents from different breathing systems: a theoretical study, LOCKWOOD, G. G., *et al.* 519–526
——, Halothane and isoflurane anaesthesia reduce cardiac index in the elderly, MCKINNEY, M. S., *et al.*, (*ARS*) 413P
——, Non-invasive measurement of changes in cardiac index during induction of anaesthesia, PRICE, M., *et al.*, (*ARS*) 409P
Heart, cardiopulmonary bypass, Pharmacokinetics and pharmacodynamics of atracurium during hypothermic cardiopulmonary bypass, GASSER, A. J., *et al.*, (*ARS*) 402P
——, Priming of cardiopulmonary bypass with human albumin or Ringer lactate: effect on colloid osmotic pressure and extravascular lung water, HOEFT, A., *et al.* 73–80
Heart, coronary artery bypass, Myocardial metabolism during anaesthesia with propofol—low dose fentanyl

for coronary artery bypass surgery, VERMEYEN, K. M., *et al.* 504–508
——, Total i.v. anaesthesia with propofol and alfentanil for coronary artery bypass grafting, MANARA, A. R., *et al.* 716–718
Heart, coronary occlusion, Dose-related effects of isoflurane associated with low plasma concentrations of verapamil on global and regional function in normal and compromised canine myocardium, ARVIEUX, C. C., *et al.* 673–682
Heart, dopamine, Comparison of dopamine and dopexamine, PARK, G., *et al.*, (*C*) 528–529
——, Comparison of dopamine and dopexamine, STEPHAN, H., (*C*) 529
Heart, dopexamine, Comparison of dopamine and dopexamine, PARK, G., *et al.*, (*C*) 528–529
——, Comparison of dopamine and dopexamine, STEPHAN, H., (*C*) 529
Heart, heart rate, Heart rate response to an i.v. test dose of adrenaline and lignocaine with and without atropine pretreatment, NARCHI, P., *et al.* 583–586
Heart, ischaemia, Continuous ambulatory ECG monitoring in the perioperative period: relationship of preoperative status and outcome, MCHUGH, P., *et al.* 285–291
——, Dose-related effects of isoflurane associated with low plasma concentrations of verapamil on global and regional function in normal and compromised canine myocardium, ARVIEUX, C. C., *et al.* 673–682
——, Postoperative oxygen desaturation and myocardial ischaemia in patients presenting for vascular surgery, MUIR, A. D., *et al.*, (*ARS*) 396P
——, Silent myocardial ischaemia and myocardial dysfunction in patients undergoing aortic reconstructive surgery, REEDER, M. K., *et al.*, (*ARS*) 412–413P
Heart, metabolism, Myocardial metabolism during anaesthesia with propofol—low dose fentanyl for coronary artery bypass surgery, VERMEYEN, K. M., *et al.* 504–508
Heart, myocardial function, Dose-related effects of isoflurane associated with low plasma concentrations of verapamil on global and regional function in normal and compromised canine myocardium, ARVIEUX, C. C., *et al.* 673–682
——, Propofol: effect on the myocardium compared with the peripheral vascular system, BOER, F., *et al.*, (*C*) 417
——, Propofol: effect on the myocardium compared with the peripheral vascular system, LIPPMANN, M., (*C*) 416–417
——, Silent myocardial ischaemia and myocardial dysfunction in patients undergoing aortic reconstructive surgery, REEDER, M. K., *et al.*, (*ARS*) 412–413P
Heart, pacemakers, artificial, Pacemaker failure on induction of anaesthesia, FINFER, S. R. 509–512
Heart, vascular pressures, Comparison of dopamine and dopexamine, PARK, G., *et al.*, (*C*) 528–529
——, Comparison of dopamine and dopexamine, STEPHAN, H., (*C*) 529
——, Propofol: effect on the myocardium compared with the peripheral vascular system, BOER, F., *et al.*, (*C*) 417
——, Propofol: effect on the myocardium compared with the peripheral vascular system, LIPPMANN, M., (*C*) 416–417
Heart, ventricular pressure, Effect of verapamil on right ventricular pressure and atrial tachyarrhythmia after thoracotomy, LINDGREN, L., *et al.* 205–211
Heart, verapamil, Dose-related effects of isoflurane associated with low plasma concentrations of verapamil on global and regional function in normal and compromised canine myocardium, ARVIEUX, C. C., *et al.* 673–682
——, Effect of verapamil on right ventricular pressure and atrial tachyarrhythmia after thoracotomy, LINDGREN, L., *et al.* 205–211
Hormones, adrenal, Effect of clonidine on the circulation and vasoactive hormones after aortic surgery, QUINTIN, L., *et al.* 108–115
——, Postoperative protein metabolism: effect of nursing elderly patients for 24 h after abdominal surgery in a thermoneutral environment, CARLI, F., *et al.* 292–299
Hormones, antidiuretic, Effect of clonidine on the circulation and vasoactive hormones after aortic surgery, QUINTIN, L., *et al.* 108–115
Hormones, glucocorticoid, Postoperative protein metabolism: effect of nursing elderly patients for 24 h after abdominal surgery in a thermoneutral environment, CARLI, F., *et al.* 292–299
Hormones, prostaglandins, Non-steroidal anti-inflammatory drugs: rationale for use in severe postoperative pain, DAHL, J. B., *et al.* 703–712
Hormones, renin, Effect of clonidine on the circulation and vasoactive hormones after aortic surgery, QUINTIN, L., *et al.* 108–115
Hyperbaria, high pressure nervous syndrome, Barbiturate alteration of respiratory rhythm and drive in isolated brainstem–spinal cord of newborn rat: studies at normal and hyperbaric pressure, TARASIUK, A., *et al.* 88–96
Hyperbaria, pressure reversal, Barbiturate alteration of respiratory rhythm and drive in isolated brainstem–spinal cord of newborn rat: studies at normal and hyperbaric pressure, TARASIUK, A., *et al.* 88–96
Hyperthermia, postoperative, Pharmacokinetics and clinical experience of 20-h infusions of methohexitone in intensive care patients with postoperative pyrexia, REDKE, F., *et al.* 53–59
Hypnotics, ethchlorvynol, Carbon dioxide elimination following acute lung injury induced by i.v. ethchlorvynol in swine, JEBSON, P. J., *et al.*, (*ARS*) 395–396P
Hypnotics barbiturate, pentobarbitone, Barbiturate alteration of respiratory rhythm and drive in isolated brainstem–spinal cord of newborn rat: studies at normal and hyperbaric pressure, TARASIUK, A., *et al.* 88–96
——, Does glycine antagonism underlie the excitatory effects of propofol and methohexitone? SOAR, J., *et al.*, (*ARS*) 398P
Hypnotics benzodiazepine, diazepam, Biochemical assessment of preoperative stress: a study with diazepam and measurement of monoamine metabolites and catecholamines in cerebrospinal fluid and plasma, KANTO, J., *et al.* 587–590
——, *In vitro* effect of additives in benzodiazepine solutions on the superoxide anion-generating system in polymorphonuclear leucocytes, MORISAKI, H., *et al.* 97–102
——, Reversal of benzodiazepine sedation with the antagonist flumazenil, SANDERS, L. D., *et al.* 445–453
Hypnotics benzodiazepine, flunitrazepam, *In vitro* effect of additives in benzodiazepine solutions on the superoxide anion-generating system in polymorphonuclear leucocytes, MORISAKI, H., *et al.* 97–102
Hypnotics benzodiazepine, midazolam, Antagonism of the hypnotic effect of midazolam in children: a randomized, double-blind study of placebo and flumazenil administered after midazolam-induced anaesthesia, JONES, R. D. M., *et al.* 660–666
——, Comparison of flumazenil with aminophylline to antagonize midazolam in elderly patients, SIBAI, A. N., *et al.* 591–595

——, Computerized dynamic posturography: a new method for the evaluation of postural stability following anaesthesia, GUPTA, A., *et al.* 667–672
——, Effect of i.v. midazolam on the ventilatory response to sustained hypoxia in man, DAHAN, A., *et al.* 454–457
——, Hypnotic and anaesthetic action of thiopentone and midazolam alone and in combination, SHORT, T. G., *et al.* 13–19
——, Pharmacokinetics of propofol, SHERRY, K., *et al.*, (*C*) 527–528
——, Pharmacokinetics of propofol, SIDHU, V. S., *et al.*, (*C*) 527
——, Reversal of benzodiazepine sedation with the antagonist flumazenil, SANDERS, L. D., *et al.* 445–453
Hypnotics benzodiazepine, temazepam, Temazepam absorption in patients before surgery, HOSIE, H. E., *et al.* 20–24
Hypoxaemia, Effect of inspired oxygen concentration on the incidence of desaturation in patients undergoing total hip replacement, AL-SHAIKH, B. 580–582
——, Hypoxaemia during anaesthesia—an observer study, MOLLER, J. T., *et al.* 437–444
——, Nocturnal patterns of oxygen saturation following thoracotomy, ENTWISTLE, M. D., *et al.*, (*ARS*) 396–397P
——, Postoperative oxygen desaturation and myocardial ischaemia in patients presenting for vascular surgery, MUIR, A. D., *et al.*, (*ARS*) 396P
Hypoxia, Chest physiotherapy, MACKENZIE, C. F., (*C*) 147
——, Effect of i.v. midazolam on the ventilatory response to sustained hypoxia in man, DAHAN, A., *et al.* 454–457

Infants, Anaesthetic management of a 2-month-old infant for laser resection of vocal cord granuloma, TSUI, S. L., *et al.* 134–137
——, Bilateral chylothorax, COOPER, P., *et al.* 387–390
——, Pulmonary oedema following relief of upper airway obstruction in the Pierre–Robin syndrome: a consequence of early palatal repair? LYNCH, M., *et al.* 391–393
——, The Humphry ADE system: evaluation in paediatric use, ORLIKOWSKI, C. E. P., *et al.* 253–257
Infection, bacteria, Propofol supports bacterial growth, THOMAS, D. V., (*C*) 274
Infection, breathing systems, Viability and distribution of bacteria after passage through a circle anaesthetic system, MURPHY, P. M., *et al.* 300–304
Infection, central nervous system, Bacterial meningitis following spinal anaesthesia for Caesarean section, LEE, J. J., *et al.* 383–386
Intensive care, Pharmacokinetics and clinical experience of 20-h infusions of methohexitone in intensive care patients with postoperative pyrexia, REDKE, F., *et al.* 53–59
Intensive Care Manual, 3rd Edn, OH, T. E., (editor), (*R*) 148
Interactions (drug), Delayed excitatory reaction following interaction of cocaine and monoamine oxidase inhibitor (phenelzine), TORDOFF, S. G., *et al.* 516–518
——, Effect of H_2-receptor antagonist pretreatment on vecuronium- and atracurium-induced neuromuscular block, MCCARTHY, G., *et al.* 713–715
——, Effect of i.v. anaesthesia with propofol on drug distribution and metabolism in the dog, MOULTON PERRY, S., *et al.* 66–72
——, Extradural clonidine does not potentiate analgesia produced by extradural morphine after meniscectomy, VAN ESSEN, E. J., *et al.* 237–241
——, Hypnotic and anaesthetic action of thiopentone and midazolam alone and in combination, SHORT, T. G., *et al.* 13–19
——, Pharmacokinetics and pharmacodynamics of atracurium with and without previous suxamethonium administration, DONATI, F., *et al.* 557–561
——, Rapid onset of suxamethonium block, BARAKA, A., (*C*) 733
——, Sequential and simultaneous administration of suxamethonium and atracurium, HARPER, N. J. N., *et al.*, (*ARS*) 403–404P
Introduction to Respiratory Care, LEVITZKY, M. G., *et al.*, (editors), (*R*) 532
Intubation nasotracheal, blind, Blind nasal intubation the only option? WILLIAMSON, R., (*C*) 273
Intubation tracheal, complications, Comparison of two methods of fibrescope-guided tracheal intubation, SMITH, J. E., *et al.* 546–550
Intubation tracheal, difficult, Comparison of two methods for predicting difficult intubation, OATES, J. D. L., *et al.* 305–309
——, Failed tracheal intubation, CALDER, I., (*C*) 415–416
——, Unexpected, difficult laryngoscopy: a prospective survey in routine general surgery, WILLIAMS, K. N., *et al.* 38–44
Intubation tracheal, responses, Attenuation of the pressor response to tracheal intubation in hypertensive proteinuric pregnant patients by lignocaine, alfentanil and magnesium sulphate, ALLEN, R. W., *et al.* 216–223
——, Comparison of orthodox with fibreoptic orotracheal intubation under total i.v. anaesthesia, SCHAEFER, H.-G., *et al.* 608–610
——, Comparison of two methods of fibrescope-guided tracheal intubation, SMITH, J. E., *et al.* 546–550
——, Effects of trimetaphan on the cardiovascular response to tracheal intubation, SAITOH, N., *et al.* 340–344
Intubation tracheal, technique, Comparison of orthodox with fibreoptic orotracheal intubation under total i.v. anaesthesia, SCHAEFER, H.-G., *et al.* 608–610
——, Comparison of two methods of fibrescope-guided tracheal intubation, SMITH, J. E., *et al.* 546–550
——, Unexpected, difficult laryngoscopy: a prospective survey in routine general surgery, WILLIAMS, K. N., *et al.* 38–44
Intubation tracheal, training, Training in fibreoptic laryngoscopy, VAUGHAN, R. S., (*E*) 538–540
——, Unexpected, difficult laryngoscopy: a prospective survey in routine general surgery, WILLIAMS, K. N., *et al.* 38–44
Ions, calcium, Possible involvement of inositol–lipid metabolism in malignant hyperthermia, SCHOLZ, J., *et al.* 692–696
Ions, magnesium, Priming of pancuronium with magnesium, JAMES, M. F. M., *et al.* 247–249

Kidney, blood flow, Comparison of dopamine and dopexamine, PARK, G., *et al.*, (*C*) 528–529
——, Comparison of dopamine and dopexamine, STEPHAN, H., (*C*) 529
——, Metoclopramide and renal vascular resistance, MANARA, A. R., *et al.* 129–130

Larynx, laryngoscopy, Comparison of orthodox with fibreoptic orotracheal intubation under total i.v. anaesthesia, SCHAEFER, H.-G., *et al.* 608–610
——, Comparison of two methods for predicting difficult intubation, OATES, J. D. L., *et al.* 305–309
——, Effects of trimetaphan on the cardiovascular response to tracheal intubation, SAITOH, N., *et al.* 340–344
——, Unexpected, difficult laryngoscopy: a prospective survey in routine general surgery, WILLIAMS, K. N., *et al.* 38–44
Larynx, laryngoscopy fibreoptic, Comparison of orthodox with fibreoptic orotracheal intubation under total i.v. anaesthesia, SCHAEFER, H.-G., *et al.* 608–610
——, Training in fibreoptic laryngoscopy, VAUGHAN, R. S., (*E*) 538–540

Learning, Human learning during general anaesthesia and surgery, BLOCK, R. I., *et al.* 170–178
Liver, damage, Variation of plasma glutathione S transferase concentration in healthy volunteers, ALDRIDGE, L. M., *et al.*, (*ARS*) 413–414P
Lung, adult respiratory distress syndrome, Interhospital transfer of a patient undergoing extracorporeal carbon dioxide removal, KEE, S. S., *et al.* 141–144
Lung, atelectasis, Influence of age on atelectasis formation and gas exchange impairment during general anaesthesia, GUNNARSON, L., *et al.* 423–432
Lung, damage, An early marker of hyperoxic lung injury in the rat and its pharmacological modulation, O'CONNELL, M. J., *et al.* 697–702
Lung, function, Respiratory function and rib cage contribution to ventilation in body positions commonly used during anaesthesia, LUMB, A. B., *et al.*, (*ARS*) 394–395P
Lung, functional residual capacity, Cranio–caudal movement of the sternum on induction of anaesthesia, LOGAN, M. R., *et al.* 433–436
Lung, gas exchange, Effect of verapamil on right ventricular pressure and atrial tachyarrhythmia after thoracotomy, LINDGREN, L., *et al.* 205–211
——, Influence of age on atelectasis formation and gas exchange impairment during general anaesthesia, GUNNARSON, L., *et al.* 423–432
Lung, hyperoxia, An early marker of hyperoxic lung injury in the rat and its pharmacological modulation, O'CONNELL, M. J., *et al.* 697–702
Lung, hypoxia, Chest physiotherapy, MACKENZIE, C. F., (*C*) 147
Lung, injury, Carbon dioxide elimination following acute lung injury induced by i.v. ethchlorvynol in swine, JEBSON, P. J., *et al.*, (*ARS*) 395–396P
Lung, oedema, Measurement of transthoracic electrical impedance, THOMAS, A. N., *et al.*, (*C*) 733–734
——, Measurement of transthoracic electrical impedance, WENNBERG, E., (*C*) 734
——, Minitracheotomy—impossible cannulation, COMBES, P., *et al.*, (*C*) 275
——, Priming of cardiopulmonary bypass with human albumin or Ringer lactate: effect on colloid osmotic pressure and extravascular lung water, HOEFT, A., *et al.* 73–80
Lung, physiotherapy, Chest physiotherapy, JONES, J. G., *et al.*, (*C*) 147
——, Chest physiotherapy, MACKENZIE, C. F., (*C*) 147
——, Chest physiotherapy, MURRAY, E., (*C*) 146–147
Lung, respiratory resistance, Effect of inspiratory and expiratory resistances on the end-tidal position in man, NELSON, V., *et al.*, (*ARS*) 395P

Major Chemical Disasters—Medical Aspects of Management, 1st Edn, MURRAY, V., (editor), (*R*) 277
Malignant hyperthermia, Delayed recovery of muscle pH after short duration, high intensity exercise in malignant hyperthermia susceptible subjects, ALLSOP, P., *et al.* 541–545
——, Muscle activity, pH and malignant hyperthermia, ELLIS, F. R., *et al.*, (*E*) 535–537
——, Muscle biopsy for diagnosis of malignant hyperthermia susceptibility in two patients with severe exercise-induced myolysis, HACKL, W., *et al.* 138–140
——, Possible involvement of inositol–lipid metabolism in malignant hyperthermia, SCHOLZ, J., *et al.* 692–696
——, Ryanodine contracture: a potentially specific *in vitro* diagnostic test for malignant hyperthermia, HOPKINS, P. M., *et al.* 611–613
Malignant Hyperthermia Neuromuscular Diseases and Anaesthesia, 1st Edn, MORTIER, W., *et al.*, (editors), (*R*) 418
Manuel d'Anesthésie Pédiatrique, 1st Edn, SAINT-MAURICE, C., *et al.*, (editors), (*R*) 736
Mastering Infrared Capnography, 1st Edn, KALENDA, Z., (*R*) 419
Measurement techniques, Doppler ultrasound, Non-invasive measurement of changes in cardiac index during induction of anaesthesia, PRICE, M., *et al.*, (*ARS*) 409P
——, Uteroplacental and fetal haemodynamics during extradural anaesthesia for Caesarean section, ALAHUHTA, S., *et al.* 319–323
Measurement techniques, dynamic posturography, Computerized dynamic posturography: a new method for the evaluation of postural stability following anaesthesia, GUPTA, A., *et al.* 667–672
Measurement techniques, echocardiography, Uteroplacental and fetal haemodynamics during extradural anaesthesia for Caesarean section, ALAHUHTA, S., *et al.* 319–323
Measurement techniques, electromyography, Central enhancement of evoked electromyographic monitoring of neuromuscular function, SMITH, D. C. 562–565
——, Surface electrode position during ulnar nerve stimulation, KALLI, I., (*C*) 734–735
——, Surface electrode position during ulnar nerve stimulation, KOPMAN, A. F., (*C*) 734
Measurement techniques, electron microscopy, Ultrastructural evidence for free radical production during experimental lung injury, MURPHY, P. G., *et al.*, (*ARS*) 398P
Measurement techniques, formiminoglutamic acid excretion test, Nitrous oxide and formiminoglutamic acid: excretion in surgical patients and anaesthetists, ARMSTRONG, P., *et al.* 163–169
Measurement techniques, neuromuscular block, Intraoperative assessment of atracurium-induced neuromuscular block using double burst stimulation, BRAUDE, N., *et al.*, (*ARS*) 403P
Measurement techniques, oximeters, Hypoxaemia during anaesthesia—an observer study, MOLLER, J. T., *et al.* 437–444
——, Tension pneumothorax and pulse oximetry, LAISHLEY, R. S., *et al.* 250–252
Measurement techniques, spectral analysis, Systems analysis applied to intracranial pressure waveforms and correlation with clinical status in head injured patients, LIN, E. S., *et al.* 476–482
Measurement techniques, tomography, Effect of sublingual buprenorphine on gastric emptying of a liquid meal, TROTTER, T., *et al.*, (*ARS*) 405P
Measurement techniques, transthoracic electrical impedance, Measurement of transthoracic electrical impedance, THOMAS, A. N., *et al.*, (*C*) 733–734
——, Measurement of transthoracic electrical impedance, WENNBERG, E., (*C*) 734
Memory, Human learning during general anaesthesia and surgery, BLOCK, R. I., *et al.* 170–178
——, Memory mechanisms, PONTE, J., (*C*) 529
——, Psychomotor recovery after outpatient anaesthesia: individual impairment may be masked by group analysis, HICKEY, S., *et al.* 345–352
Metabolism, atracurium, Effect of propofol and etomidate on the convulsive action of laudanosine in mice, AL-MUHANDIS, W. M., *et al.*, (*ARS*) 412P
Metabolism, glucose, Brain and spinal cord metabolic activity during propofol anaesthesia, CAVAZZUTI, M., *et al.* 490–495
Metabolism, inositol phosphates, Possible involvement of inositol–lipid metabolism in malignant hyperthermia, SCHOLZ, J., *et al.* 692–696
Metabolism, lactate, Delayed recovery of muscle pH after short duration, high intensity exercise in

malignant hyperthermia susceptible subjects, ALLSOP, P., *et al.* 541–545
Metabolism, metabolites, Biochemical assessment of preoperative stress: a study with diazepam and measurement of monoamine metabolites and catecholamines in cerebrospinal fluid and plasma, KANTO, J., *et al.* 587–590
——, Disposition of morphine-6-glucuronide and morphine in healthy volunteers, HANNA, M. H., *et al.* 103–107
——, Plasma concentrations of bupivacaine and two of its metabolites during continuous interscalene brachial plexus block, ROSENBERG, P. H., *et al.* 25–30
——, Transplacental distribution of atracurium, laudanosine and monoquaternary alcohol during elective Caesarean section, SHEARER, E. S., *et al.* 551–556
Metabolism, morphine, Disposition of morphine-6-glucuronide and morphine in healthy volunteers, HANNA, M. H., *et al.* 103–107
Metabolism, morphine-6-glucuronide, Disposition of morphine-6-glucuronide and morphine in healthy volunteers, HANNA, M. H., *et al.* 103–107
Metabolism, muscle pH, Delayed recovery of muscle pH after short duration, high intensity exercise in malignant hyperthermia susceptible subjects, ALLSOP, P., *et al.* 541–545
——, Muscle activity, pH and malignant hyperthermia, ELLIS, F. R., *et al.*, (*E*) 535–537
Metabolism, protein, Postoperative protein metabolism: effect of nursing elderly patients for 24 h after abdominal surgery in a thermoneutral environment, CARLI, F., *et al.* 292–299
Metabolism, verapamil, Effect of verapamil on right ventricular pressure and atrial tachyarrhythmia after thoracotomy, LINDGREN, L., *et al.* 205–211
Model, brainstem–spinal cord preparation, Barbiturate alteration of respiratory rhythm and drive in isolated brainstem–spinal cord of newborn rat: studies at normal and hyperbaric pressure, TARASIUK, A., *et al.* 88–96
Model, lung injury, Carbon dioxide elimination following acute lung injury induced by i.v. ethchlorvynol in swine, JEBSON, P. J., *et al.*, (*ARS*) 395–396P
——, Ultrastructural evidence for free radical production during experimental lung injury, MURPHY, P. G., *et al.*, (*ARS*) 398P
Model, rabbit, Ultrastructural evidence for free radical production during experimental lung injury, MURPHY, P. G., *et al.*, (*ARS*) 398P
Model, rat fetal, Effects of nitrous oxide on day 9 rat embryos grown in culture, BADEN, J. M., *et al.* 500–503
Monitoring, depth of anaesthesia, Conscious awareness during general anaesthesia—what are we attempting to monitor? JESSOP, J., *et al.*, (*E*) 635–637
Monitoring, electrocardiography, Continuous ambulatory ECG monitoring in the perioperative period: relationship of preoperative status and outcome, MCHUGH, P., *et al.* 285–291
——, Silent myocardial ischaemia and myocardial dysfunction in patients undergoing aortic reconstructive surgery, REEDER, M. K., *et al.*, (*ARS*) 412–413P
Monitoring, electroencephalography, Electroencephalographic changes during vital capacity breath induction with halothane, AVRAMOV, M. N., *et al.* 212–215
——, The auditory steady state response during sufentanil anaesthesia, PLOURDE, G., *et al.* 683–691
Monitoring, electro-oculogram, Effect of low concentrations of nitrous oxide and isoflurane on peak velocity of saccadic eye movements, GAO, F., *et al.* 179–184
Monitoring, evoked potentials, Changes in amplitude and latency of an event-related potential with depression of consciousness by nitrous oxide, JESSOP, J., *et al.*, (*ARS*) 400P
——, Differential effects of propofol and nitrous oxide on posterior tibial nerve somatosensory cortical evoked potentials during alfentanil anaesthesia, KALKMAN, C. J., *et al.* 483–489
——, Effect of isoflurane on the N20 component of the median nerve somatosensory evoked potentials in children, HIGGINS, D., *et al.*, (*ARS*) 399–400P
——, Sensory information processing during general anaesthesia: effect of isoflurane on auditory evoked neuronal oscillations, MADLER, C., *et al.* 81–87
——, Sequential measurement of somatosensory evoked potentials during isoflurane anaesthesia in children, MASON, D. G., *et al.*, (*ARS*) 399P
——, Subhypnotic doses of thiopentone and propofol cause analgesia to experimentally induced acute pain, ANKER-MØLLER, E., *et al.* 185–188
——, Surface electrode position during ulnar nerve stimulation, KALLI, I., (*C*) 734–735
——, Surface electrode position during ulnar nerve stimulation, KOPMAN, A. F., (*C*) 734
——, The auditory steady state response during sufentanil anaesthesia, PLOURDE, G., *et al.* 683–691
Monitoring, extracorporeal circulation, Interhospital transfer of a patient undergoing extracorporeal carbon dioxide removal, KEE, S. S., *et al.* 141–144
Monitoring in Anesthesia and Critical Care Medicine, 2nd Edn, BLITT, C. D., (editor), (*R*) 737
Monitoring, intracranial pressure, Systems analysis applied to intracranial pressure waveforms and correlation with clinical status in head injured patients, LIN, E. S., *et al.* 476–482
Monitoring, oxygen, Hypoxaemia during anaesthesia—an observer study, MOLLER, J. T., *et al.* 437–444
——, Tension pneumothorax and pulse oximetry, LAISHLEY, R. S., *et al.* 250–252
——, Use of continuous positive airway pressure in paediatric dental extraction under general anaesthesia, SURESH, D., *et al.* 200–204
Monitoring, vapours, Fluidic bistable amplifier as vapour concentration sensor, RODGERS, R. C., *et al.*, (*ARS*) 401–402P
Mouse, Effect of propofol and etomidate on the convulsive action of laudanosine in mice, AL-MUHANDIS, W. M., *et al.*, (*ARS*) 412P
Muscle skeletal, Masseteric muscle spasm, DERRINGTON, M. C., *et al.*, (*C*) 271
——, Masseteric muscle spasm, LEARY, N. P., (*C*) 271
Muscle skeletal, contractility, Muscle activity, pH and malignant hyperthermia, ELLIS, F. R., *et al.*, (*E*) 535–537
Muscle skeletal, metabolism, Muscle activity, pH and malignant hyperthermia, ELLIS, F. R., *et al.*, (*E*) 535–537
Muscle skeletal, relaxation, Usefulness of propofol in torticollis, BORGEAT, A., (*C*) 530

Neuromuscular block, alcuronium, Determinants of the reversal time of competitive neuromuscular block by anticholinesterases, BEEMER, G. H., *et al.* 469–475
——, Effect of pretreatment with oral pyridostigmine on subsequent activity of alcuronium in non-anaesthetized subjects, TURNER, G. A., *et al.* 365–369
Neuromuscular block, atracurium, Determinants of the reversal time of competitive neuromuscular block by anticholinesterases, BEEMER, G. H., *et al.* 469–475
——, Effect of arterial carbon dioxide tension on the duration of action of atracurium, PLATT, M., *et al.* 45–47
——, Effect of H_2-receptor antagonist pretreatment on vecuronium- and atracurium-induced neuromuscular block, MCCARTHY, G., *et al.* 713–715

——, Intraoperative assessment of atracurium-induced neuromuscular block using double burst stimulation, BRAUDE, N., *et al.*, (*ARS*) 403P
——, Pharmacokinetics and pharmacodynamics of atracurium during hypothermic cardiopulmonary bypass, GASSER, A. J., *et al.*, (*ARS*) 402P
——, Pharmacokinetics and pharmacodynamics of atracurium with and without previous suxamethonium administration, DONATI, F., *et al.* 557–561
——, Relation of body weight to volume of distribution of atracurium and maximum twitch depression, PARKER, C. J. R., *et al.*, (*ARS*) 402P
——, Sequential and simultaneous administration of suxamethonium and atracurium, HARPER, N. J. N., *et al.*, (*ARS*) 403–404P
——, Transplacental distribution of atracurium, laudanosine and monoquaternary alcohol during elective Caesarean section, SHEARER, E. S., *et al.* 551–556
Neuromuscular block, laudanosine, Effect of propofol and etomidate on the convulsive action of laudanosine in mice, AL-MUHANDIS, W. M., *et al.*, (*ARS*) 412P
Neuromuscular block, measurement of response, Central enhancement of evoked electromyographic monitoring of neuromuscular function, SMITH, D. C. 562–565
——, Intraoperative assessment of atracurium-induced neuromuscular block using double burst stimulation, BRAUDE, N., *et al.*, (*ARS*) 403P
Neuromuscular block, mivacurium, Studies on mivacurium, FROM, R. P., *et al.*, (*C*) 416
Neuromuscular block, pancuronium, Priming of pancuronium with magnesium, JAMES, M. F. M., *et al.* 247–249
Neuromuscular block, priming, Priming of pancuronium with magnesium, JAMES, M. F. M., *et al.* 247–249
Neuromuscular block, propofol, Usefulness of propofol in torticollis, BORGEAT, A., (*C*) 530
Neuromuscular block, suxamethonium, Masseteric muscle spasm, DERRINGTON, M. C., *et al.*, (*C*) 271
——, Masseteric muscle spasm, LEARY, N. P., (*C*) 271
——, Pacemaker failure on induction of anaesthesia, FINFER, S. R. 509–512
——, Pharmacokinetics and pharmacodynamics of atracurium with and without previous suxamethonium administration, DONATI, F., *et al.* 557–561
——, Rapid onset of suxamethonium block, BARAKA, A., (*C*) 733
——, Sequential and simultaneous administration of suxamethonium and atracurium, HARPER, N. J. N., *et al.*, (*ARS*) 403–404P
Neuromuscular block, vecuronium, Effect of H_2-receptor antagonist pretreatment on vecuronium- and atracurium-induced neuromuscular block, MCCARTHY, G., *et al.* 713–715
——, Pain on i.v. injection of some anaesthetic agents is evoked by the unphysiological osmolality or pH of their formulations, KLEMENT, W., *et al.* 189–195
——, Rapid onset of suxamethonium block, BARAKA, A., (*C*) 733
Neuromuscular transmission, Central enhancement of evoked electromyographic monitoring of neuromuscular function, SMITH, D. C. 562–565
——, Priming of pancuronium with magnesium, JAMES, M. F. M., *et al.* 247–249
Non-steroidal anti-inflammatory drugs, Non-steroidal anti-inflammatory drugs: rationale for use in severe postoperative pain, DAHL, J. B., *et al.* 703–712

Operating rooms, contamination, Nitrous oxide and formiminoglutamic acid: excretion in surgical patients and anaesthetists, ARMSTRONG, P., *et al.* 163–169
Operating rooms, personnel, Nitrous oxide and formiminoglutamic acid: excretion in surgical patients and anaesthetists, ARMSTRONG, P., *et al.* 163–169
Outpatient Anaesthesia, WHITE, P. F., (editor), (*R*) 418–419
Oxygen, inspired concentration, Effect of inspired oxygen concentration on the incidence of desaturation in patients undergoing total hip replacement, AL-SHAIKH, B. 580–582
Oxygen, saturation, Effect of inspired oxygen concentration on the incidence of desaturation in patients undergoing total hip replacement, AL-SHAIKH, B. 580–582
——, Hypoxaemia during anaesthesia—an observer study, MOLLER, J. T., *et al.* 437–444
——, Nocturnal patterns of oxygen saturation following thoracotomy, ENTWISTLE, M. D., *et al.*, (*ARS*) 396–397P
——, Postoperative oxygen desaturation and myocardial ischaemia in patients presenting for vascular surgery, MUIR, A. D., *et al.*, (*ARS*) 396P
——, Tension pneumothorax and pulse oximetry, LAISHLEY, R. S., *et al.* 250–252
——, Use of continuous positive airway pressure in paediatric dental extraction under general anaesthesia, SURESH, D., *et al.* 200–204
Oxygen, toxicity, An early marker of hyperoxic lung injury in the rat and its pharmacological modulation, O'CONNELL, M. J., *et al.* 697–702
Oxygen, uptake, An early marker of hyperoxic lung injury in the rat and its pharmacological modulation, O'CONNELL, M. J., *et al.* 697–702

Pain, experimental, Subhypnotic doses of thiopentone and propofol cause analgesia to experimentally induced acute pain, ANKER-MØLLER, E., *et al.* 185–188
Pain, injection, Effect of lignocaine on pain during injection of propofol, STAFFORD, M. A., *et al.*, (*ARS*) 406–407P
——, Optimal dose of lignocaine for preventing pain on injection of propofol, GEHAN, G., *et al.* 324–326
——, Pain on i.v. injection of some anaesthetic agents is evoked by the unphysiological osmolality or pH of their formulations, KLEMENT, W., *et al.* 189–195
Pain, postoperative, Non-steroidal anti-inflammatory drugs: rationale for use in severe postoperative pain, DAHL, J. B., *et al.* 703–712
Pain, threshold, Pain on i.v. injection of some anaesthetic agents is evoked by the unphysiological osmolality or pH of their formulations, KLEMENT, W., *et al.* 189–195
Parasympathetic nervous system, atropine, Heart rate response to an i.v. test dose of adrenaline and lignocaine with and without atropine pretreatment, NARCHI, P., *et al.* 583–586
Parasympathetic nervous system, hyoscine, Transdermal hyoscine and postoperative nausea and vomiting, HENDLEY, B. J., (*C*) 415
——, Transdermal hyoscine and postoperative nausea and vomiting, KOSKI, E. M. J., (*C*) 415
Parasympathetic nervous system, papaveretum, Nocturnal patterns of oxygen saturation following thoracotomy, ENTWISTLE, M. D., *et al.*, (*ARS*) 396–397P
Partial pressure, arterial, Arterial washin of halothane and isoflurane in young and elderly adult patients, DWYER, R. C., *et al.* 572–579
——, Is the end-tidal partial pressure of isoflurane a good predictor of its arterial partial pressure? FREI, F. J., *et al.* 331–339

Partial pressure, carbon dioxide, Is the end-tidal partial pressure of isoflurane a good predictor of its arterial partial pressure? FREI, F. J., *et al.* 331–339
Partial pressure, end-tidal, Arterial washin of halothane and isoflurane in young and elderly adult patients, DWYER, R. C., *et al.* 572–579
——, Is the end-tidal partial pressure of isoflurane a good predictor of its arterial partial pressure? FREI, F. J., *et al.* 331–339
Partial pressure, isoflurane, Is the end-tidal partial pressure of isoflurane a good predictor of its arterial partial pressure? FREI, F. J., *et al.* 331–339
Patient Controlled Analgesia, FERRANTE, F. M., *et al.*, (editors), (*R*) 276–277
Pharmacodynamics, Pharmacokinetics and pharmacodynamics of atracurium during hypothermic cardiopulmonary bypass, GASSER, A. J., *et al.*, (*ARS*) 402P
——, Pharmacokinetics and pharmacodynamics of atracurium with and without previous suxamethonium administration, DONATI, F., *et al.* 557–561
Pharmacokinetics, adrenaline, Effect of adrenaline on plasma concentrations of bupivacaine following lower limb nerve block, ROBISON, C., *et al.* 228–231
Pharmacokinetics, atracurium, Pharmacokinetics and pharmacodynamics of atracurium during hypothermic cardiopulmonary bypass, GASSER, A. J., *et al.*, (*ARS*) 402P
——, Pharmacokinetics and pharmacodynamics of atracurium with and without previous suxamethonium administration, DONATI, F., *et al.* 557–561
——, Relation of body weight to volume of distribution of atracurium and maximum twitch depression, PARKER, C. J. R., *et al.*, (*ARS*) 402P
——, Transplacental distribution of atracurium, laudanosine and monoquaternary alcohol during elective Caesarean section, SHEARER, E. S., *et al.* 551–556
Pharmacokinetics, bupivacaine, Effect of adrenaline on plasma concentrations of bupivacaine following lower limb nerve block, ROBISON, C., *et al.* 228–231
——, Plasma concentrations of bupivacaine and two of its metabolites during continuous interscalene brachial plexus block, ROSENBERG, P. H., *et al.* 25–30
Pharmacokinetics, isoflurane, Is the end-tidal partial pressure of isoflurane a good predictor of its arterial partial pressure? FREI, F. J., *et al.* 331–339
Pharmacokinetics, laudanosine, Transplacental distribution of atracurium, laudanosine and monoquaternary alcohol during elective Caesarean section, SHEARER, E. S., *et al.* 551–556
Pharmacokinetics, methohexitone, Pharmacokinetics and clinical experience of 20-h infusions of methohexitone in intensive care patients with postoperative pyrexia, REDKE, F., *et al.* 53–59
Pharmacokinetics, monoquaternary alcohol, Transplacental distribution of atracurium, laudanosine and monoquaternary alcohol during elective Caesarean section, SHEARER, E. S., *et al.* 551–556
Pharmacokinetics, morphine, Disposition of morphine-6-glucuronide and morphine in healthy volunteers, HANNA, M. H., *et al.* 103–107
Pharmacokinetics, morphine-6-glucuronide, Disposition of morphine-6-glucuronide and morphine in healthy volunteers, HANNA, M. H., *et al.* 103–107
Pharmacokinetics, propofol, Pharmacokinetics of propofol, SHERRY, K., *et al.*, (*C*) 527–528
——, Pharmacokinetics of propofol, SIDHU, V. S., *et al.*, (*C*) 527
Pharmacokinetics, propranolol, Effect of i.v. anaesthesia with propofol on drug distribution and metabolism in the dog, MOULTON PERRY, S., *et al.* 66–72
Pharmacokinetics, sufentanil, Pharmacokinetic study of extradural and intrathecal sufentanil anaesthesia for major surgery, IONESCU, T. I., *et al.* 458–464
Pharmacokinetics, uptake, Arterial washin of halothane and isoflurane in young and elderly adult patients, DWYER, R. C., *et al.* 572–579
——, Effect of ventilation and cardiac output on the uptake of anaesthetic agents from different breathing systems: a theoretical study, LOCKWOOD, G. G., *et al.* 519–526
——, Is the end-tidal partial pressure of isoflurane a good predictor of its arterial partial pressure? FREI, F. J., *et al.* 331–339
——, Relation of body weight to volume of distribution of atracurium and maximum twitch depression, PARKER, C. J. R., *et al.*, (*ARS*) 402P
Pharmacology, adrenaline, Extradural diamorphine with adrenaline in labour: comparison with diamorphine and bupivacaine, KEENAN, G. M. A., *et al.* 242–246
Pharmacology, aminophylline, Comparison of flumazenil with aminophylline to antagonize midazolam in elderly patients, SIBAI, A. N., *et al.* 591–595
Pharmacology, benzyl alcohol, *In vitro* effect of additives in benzodiazepine solutions on the superoxide anion-generating system in polymorphonuclear leucocytes, MORISAKI, H., *et al.* 97–102
Pharmacology, clonidine, Clonidine does not delay recovery from anaesthesia, BELLAÏCHE, S., *et al.* 353–357
——, Effect of clonidine on the circulation and vasoactive hormones after aortic surgery, QUINTIN, L., *et al.* 108–115
——, Extradural clonidine does not potentiate analgesia produced by extradural morphine after meniscectomy, VAN ESSEN, E. J., *et al.* 237–241
Pharmacology, cocaine, Delayed excitatory reaction following interaction of cocaine and monoamine oxidase inhibitor (phenelzine), TORDOFF, S. G., *et al.* 516–518
Pharmacology, diamorphine, Comparison of speed of onset of analgesic effect of diamorphine and morphine, MORRISON, L. M., *et al.* 656–659
Pharmacology, dose–response curves, Hypnotic and anaesthetic action of thiopentone and midazolam alone and in combination, SHORT, T. G., *et al.* 13–19
Pharmacology, ethanol, *In vitro* effect of additives in benzodiazepine solutions on the superoxide anion-generating system in polymorphonuclear leucocytes, MORISAKI, H., *et al.* 97–102
Pharmacology, glycopyrronium, Oesophageal contractility during total i.v. anaesthesia with and without glycopyrronium, RAFTERY, S., *et al.* 566–571
Pharmacology, ketanserin, Effect of ketanserin on intraoperative blood loss during total hip arthroplasty in elderly patients under general anaesthesia, VAN EE, R., *et al.* 496–499
Pharmacology, MAO inhibitors, Delayed excitatory reaction following interaction of cocaine and monoamine oxidase inhibitor (phenelzine), TORDOFF, S. G., *et al.* 516–518
Pharmacology, metoclopramide, Metoclopramide and renal vascular resistance, MANARA, A. R., *et al.* 129–130
Pharmacology, morphine, Comparison of speed of onset of analgesic effect of diamorphine and morphine, MORRISON, L. M., *et al.* 656–659
Pharmacology, Picolax, Study of the effect of Picolax bowel preparation on body weight, cardiovascular variables and haemoglobin concentration, BARKER, P., *et al.*, (*ARS*) 410–411P
Pharmacology, propylene glycol, *In vitro* effect of additives in benzodiazepine solutions on the superoxide anion-generating system in polymorphonuclear leucocytes, MORISAKI, H., *et al.* 97–102

Pharmacology, ryanodine, Ryanodine contracture: a potentially specific *in vitro* diagnostic test for malignant hyperthermia, HOPKINS, P. M., *et al.* 611–613
Pharmacology, sufentanil, Cardiorespiratory effects of sufentanil, UN, E. N., *et al.*, (*ARS*) 394P
Pharmacology, synergism, Hypnotic and anaesthetic action of thiopentone and midazolam alone and in combination, SHORT, T. G., *et al.* 13–19
Pig, Carbon dioxide elimination following acute lung injury induced by i.v. ethchlorvynol in swine, JEBSON, P. J., *et al.*, (*ARS*) 395–396P
Placenta, blood flow, Uteroplacental and fetal haemodynamics during extradural anaesthesia for Caesarean section, ALAHUHTA, S., *et al.* 319–323
Placenta, drug distribution, Transplacental distribution of atracurium, laudanosine and monoquaternary alcohol during elective Caesarean section, SHEARER, E. S., *et al.* 551–556
Position, effects, Respiratory function and rib cage contribution to ventilation in body positions commonly used during anaesthesia, LUMB, A. B., *et al.*, (*ARS*) 394–395P
Position, sitting, Spinal anaesthesia with hypobaric bupivacaine, JAMES, R. H., (*C*) 272
——, Spinal anaesthesia with hypobaric bupivacaine, TUOMINEN, M., *et al.*, (*C*) 272–273
Position, surface electrode, Surface electrode position during ulnar nerve stimulation, KALLI, I., (*C*) 734–735
——, Surface electrode position during ulnar nerve stimulation, KOPMAN, A. F., (*C*) 734
Potency, analgesic, Transdermal hyoscine and postoperative nausea and vomiting, HENDLEY, B. J., (*C*) 415
——, Transdermal hyoscine and postoperative nausea and vomiting, KOSKI, E. M. J., (*C*) 415
Premedication, atropine, Heart rate response to an i.v. test dose of adrenaline and lignocaine with and without atropine pretreatment, NARCHI, P., *et al.* 583–586
Premedication, clonidine, Clonidine does not delay recovery from anaesthesia, BELLAÏCHE, S., *et al.* 353–357
Premedication, temazepam, Temazepam absorption in patients before surgery, HOSIE, H. E., *et al.* 20–24
Premedication, trimeprazine, Comparison of intranasal sufentanil and oral trimeprazine for premedication of children, UNGERER, M. J., *et al.*, (*ARS*) 406P
Problems in Respiratory Care: The Respiratory Muscles, TOBIN, M. J., (editor), (*R*) 632–633
Publishing, Ethics in publishing, SMITH, G., *et al.*, (*E*) 421–422

Rabbit, Ultrastructural evidence for free radical production during experimental lung injury, MURPHY, P. G., *et al.*, (*ARS*) 398P
Rat, An early marker of hyperoxic lung injury in the rat and its pharmacological modulation, O'CONNELL, M. J., *et al.* 697–702
——, Barbiturate alteration of respiratory rhythm and drive in isolated brainstem–spinal cord of newborn rat: studies at normal and hyperbaric pressure, TARASIUK, A., *et al.* 88–96
——, Brain and spinal cord metabolic activity during propofol anaesthesia, CAVAZZUTI, M., *et al.* 490–495
——, Effects of nitrous oxide on day 9 rat embryos grown in culture, BADEN, J. M., *et al.* 500–503
Records, anaesthesia, computerized, Can a computer help with preanaesthetic assessment? MCCLYMONT, W., *et al.*, (*ARS*) 405P
Recovery, Computerized dynamic posturography: a new method for the evaluation of postural stability following anaesthesia, GUPTA, A., *et al.* 667–672
Recovery, postoperative, Comparison of recovery characteristics after desflurane and propofol for day care anaesthesia, WRIGLEY, S. R., *et al.*, (*ARS*) 407P
Recovery, psychomotor, Antagonism of the hypnotic effect of midazolam in children: a randomized, double-blind study of placebo and flumazenil administered after midazolam-induced anaesthesia, JONES, R. D. M., *et al.* 660–666
——, Clonidine does not delay recovery from anaesthesia, BELLAÏCHE, S., *et al.* 353–357
——, Comparison of recovery characteristics after desflurane and propofol for day care anaesthesia, WRIGLEY, S. R., *et al.*, (*ARS*) 407P
——, I.v. fluids and minor gynaecological surgery: effect on recovery from anaesthesia, OOI, L. G. S., *et al.*, (*ARS*) 404P
——, Psychomotor recovery after outpatient anaesthesia: individual impairment may be masked by group analysis, HICKEY, S., *et al.* 345–352
——, Reversal of benzodiazepine sedation with the antagonist flumazenil, SANDERS, L. D., *et al.* 445–453
Reflexes, Hering–Breuer, The Hering–Breuer reflex in man? GAUDY, J.-H., (*C*) 627
——, The Hering–Breuer reflex in man? NUNN, J. F., (*C*) 627–628
Resuscitation and Training, BRISTOW, A., *et al.*, (editors), (*R*) 276
Ribcage, movement, Cranio–caudal movement of the sternum on induction of anaesthesia, LOGAN, M. R., *et al.* 433–436
——, Respiratory function and rib cage contribution to ventilation in body positions commonly used during anaesthesia, LUMB, A. B., *et al.*, (*ARS*) 394–395P

Sedation, Clonidine does not delay recovery from anaesthesia, BELLAÏCHE, S., *et al.* 353–357
——, Comparison of flumazenil with aminophylline to antagonize midazolam in elderly patients, SIBAI, A. N., *et al.* 591–595
——, Reversal of benzodiazepine sedation with the antagonist flumazenil, SANDERS, L. D., *et al.* 445–453
Serotonin (5-hydroxytryptamine), antagonism, Effect of ketanserin on intraoperative blood loss during total hip arthroplasty in elderly patients under general anaesthesia, VAN EE, R., *et al.* 496–499
Spinal cord, extradural space, Comparative study of the effects of air or saline to identify the extradural space, VALENTINE, S. J., *et al.* 224–227
Spinal cord, metabolism, Brain and spinal cord metabolic activity during propofol anaesthesia, CAVAZZUTI, M., *et al.* 490–495
Spinal cord, sensory block, Zones of differential sensory block during extradural anaesthesia, BRULL, S. J., *et al.* 651–655
Spinal cord, vertebral interspace, Accuracy of placement of extradural needles in the L3–4 interspace: comparison of two methods of identifying L4, IEVINS, F. A. 381–382
——, Influence of the lumbar interspace chosen for injection on the spread of hyperbaric 0.5% bupivacaine, LOWSON, S. M., *et al.* 465–468
Spinal Cord Injuries. Anaesthetic and Associated Care, 1st Edn, ALDERSON, J. D., *et al.*, (editors), (*R*) 632
Stress, Biochemical assessment of preoperative stress: a study with diazepam and measurement of monoamine metabolites and catecholamines in cerebrospinal fluid and plasma, KANTO, J., *et al.* 587–590
Studies of Narcosis. By Charles Ernest Overton, 1st Edn, LIPNICK, R. L., (editor), (*R*) 633
Surgery, abdominal, Pharmacokinetic study of extradural and intrathecal sufentanil anaesthesia for major surgery, IONESCU, T. I., *et al.* 458–464

Surgery, aneurysm, Anaesthesia for simultaneous Caesarean section and clipping of intracerebral aneurysm, SURY, M. R. J., *et al.*, (*C*) 145
Surgery, cardiovascular, Bilateral chylothorax, COOPER, P., *et al.* 387–390
——, Effect of clonidine on the circulation and vasoactive hormones after aortic surgery, QUINTIN, L., *et al.* 108–115
——, Myocardial metabolism during anaesthesia with propofol—low dose fentanyl for coronary artery bypass surgery, VERMEYEN, K. M., *et al.* 504–508
——, Pharmacokinetics and pharmacodynamics of atracurium during hypothermic cardiopulmonary bypass, GASSER, A. J., *et al.*, (*ARS*) 402P
——, Propofol: effect on the myocardium compared with the peripheral vascular system, BOER, F., *et al.*, (*C*) 417
——, Propofol: effect on the myocardium compared with the peripheral vascular system, LIPPMANN, M., (*C*) 416–417
——, Silent myocardial ischaemia and myocardial dysfunction in patients undergoing aortic reconstructive surgery, REEDER, M. K., *et al.*, (*ARS*) 412–413P
——, Total i.v. anaesthesia with propofol and alfentanil for coronary artery bypass grafting, MANARA, A. R., *et al.* 716–718
Surgery, cardiovascular, priming solutions, Priming of cardiopulmonary bypass with human albumin or Ringer lactate: effect on colloid osmotic pressure and extravascular lung water, HOEFT, A., *et al.* 73–80
Surgery, cleft palate, Pulmonary oedema following relief of upper airway obstruction in the Pierre–Robin syndrome: a consequence of early palatal repair? LYNCH, M., *et al.* 391–393
Surgery, colorectal, Postoperative protein metabolism: effect of nursing elderly patients for 24 h after abdominal surgery in a thermoneutral environment, CARLI, F., *et al.* 292–299
Surgery, gynaecological, Comparison of high and low volume extradural infusions for postoperative analgesia, LEE, A., *et al.*, (*ARS*) 408P
——, I.v. fluids and minor gynaecological surgery: effect on recovery from anaesthesia, OOI, L. G. S., *et al.*, (*ARS*) 404P
Surgery, larynx, Anaesthetic management of a 2-month-old infant for laser resection of vocal cord granuloma, TSUI, S. L., *et al.* 134–137
Surgery, laser, Anaesthetic management of a 2-month-old infant for laser resection of vocal cord granuloma, TSUI, S. L., *et al.* 134–137
Surgery, major, Non-steroidal anti-inflammatory drugs: rationale for use in severe postoperative pain, DAHL, J. B., *et al.* 703–712
Surgery, minitracheotomy, Minitracheotomy—impossible cannulation, COMBES, P., *et al.*, (*C*) 275
Surgery, neurological, Intraoperative death during lumbar discectomy, EWAH, B., *et al.* 721–723
Surgery, ophthalmological, Nitrous oxide concentration in intravitreal gas during anaesthesia, MOSTAFA, S. M., *et al.*, (*ARS*) 409–410P
Surgery, orthopaedic, Antithrombotic efficacy of continuous extradural analgesia after knee replacement, JØRGENSEN, L. N., *et al.* 8–12
——, Effect of adrenaline on plasma concentrations of bupivacaine following lower limb nerve block, ROBISON, C., *et al.* 228–231
——, Effect of inspired oxygen concentration on the incidence of desaturation in patients undergoing total hip replacement, AL-SHAIKH, B. 580–582
——, Effect of ketanserin on intraoperative blood loss during total hip arthroplasty in elderly patients under general anaesthesia, VAN EE, R., *et al.* 496–499
——, Extradural clonidine does not potentiate analgesia produced by extradural morphine after meniscectomy, VAN ESSEN, E. J., *et al.* 237–241
——, Intra-arterial regional analgesia of the hand, KOSCIELNIAK-NIELSEN, Z. J., *et al.* 719–720
——, Plasma concentrations of bupivacaine following combined sciatic and femoral 3 in 1 nerve blocks in open knee surgery, MISRA, U., *et al.* 310–313
Surgery, spinal, Differential effects of propofol and nitrous oxide on posterior tibial nerve somatosensory cortical evoked potentials during alfentanil anaesthesia, KALKMAN, C. J., *et al.* 483–489
——, Posterior spinal fusion in Sotos' syndrome, SURESH, D. 728–732
Surgery, thoracic, Effect of verapamil on right ventricular pressure and atrial tachyarrhythmia after thoracotomy, LINDGREN, L., *et al.* 205–211
——, Nocturnal patterns of oxygen saturation following thoracotomy, ENTWISTLE, M. D., *et al.*, (*ARS*) 396–397P
——, Tension pneumothorax and pulse oximetry, LAISHLEY, R. S., *et al.* 250–252
Surgery, urological, Comparison of flumazenil with aminophylline to antagonize midazolam in elderly patients, SIBAI, A. N., *et al.* 591–595
Surgery, vascular, Postoperative oxygen desaturation and myocardial ischaemia in patients presenting for vascular surgery, MUIR, A. D., *et al.*, (*ARS*) 396P
Sympathetic nervous system, adrenaline, Adrenaline, fentanyl or adrenaline and fentanyl as adjuncts to bupivacaine for extradural anaesthesia in elective Caesarean section, NOBLE, D. W., *et al.* 645–650
——, Comparison of four subarachnoid solutions in a needle-through-needle technique for elective Caesarean section, RANDALLS, B., *et al.* 314–318
——, Effect of adrenaline on plasma concentrations of bupivacaine following lower limb nerve block, ROBISON, C., *et al.* 228–231
——, Extradural diamorphine with adrenaline in labour: comparison with diamorphine and bupivacaine, KEENAN, G. M. A., *et al.* 242–246
——, Heart rate response to an i.v. test dose of adrenaline and lignocaine with and without atropine pretreatment, NARCHI, P., *et al.* 583–586
Sympathetic nervous system, clonidine, Clonidine does not delay recovery from anaesthesia, BELLAÏCHE, S., *et al.* 353–357
——, Effect of clonidine on the circulation and vasoactive hormones after aortic surgery, QUINTIN, L., *et al.* 108–115
——, Extradural clonidine does not potentiate analgesia produced by extradural morphine after meniscectomy, VAN ESSEN, E. J., *et al.* 237–241
Sympathetic nervous system, dopamine, Comparison of dopamine and dopexamine, PARK, G., *et al.*, (*C*) 528–529
——, Comparison of dopamine and dopexamine, STEPHAN, H., (*C*) 529
Sympathetic nervous system, dopexamine, Comparison of dopamine and dopexamine, PARK, G., *et al.*, (*C*) 528–529
——, Comparison of dopamine and dopexamine, STEPHAN, H., (*C*) 529
Sympathetic nervous system, magnesium sulphate, Attenuation of the pressor response to tracheal intubation in hypertensive proteinuric pregnant patients by lignocaine, alfentanil and magnesium sulphate, ALLEN, R. W., *et al.* 216–223
——, Priming of pancuronium with magnesium, JAMES, M. F. M., *et al.* 247–249

Sympathetic nervous system, sympathoadrenal responses, Biochemical assessment of preoperative stress: a study with diazepam and measurement of monoamine metabolites and catecholamines in cerebrospinal fluid and plasma, KANTO, J., *et al.* 587–590
——, Possible involvement of inositol–lipid metabolism in malignant hyperthermia, SCHOLZ, J., *et al.* 692–696

Temperature, injectate, Extradural, spinal or combined block for obstetric surgical anaesthesia, CARRIE, L. E. S., (*C*) 528
——, Extradural, spinal or combined block for obstetric surgical anaesthesia, DUTTON, D. A., *et al.*, (*C*) 528
Temperature, metabolism, Postoperative protein metabolism: effect of nursing elderly patients for 24 h after abdominal surgery in a thermoneutral environment, CARLI, F., *et al.* 292–299
Temperature, sensation, Sensitivity, specificity and predictive value of the sensation of warmth as a method of detecting inadvertent subarachnoid injection of local anaesthetic when performing extradural blocks, KALSO, E., *et al.* 614–616
Textbook of Anaesthesia, 2nd Edn, AITKENHEAD, A. R., *et al.*, (editors), (*R*) 149–150
The Year Book of Critical Care Medicine, 8th Edn, ROGERS, M. C., *et al.*, (editors), (*R*) 632
Theories of anaesthetic action, cellular mechanisms, Cellular mechanisms in general anaesthesia, POCOCK, G., *et al.* 116–128
Theories of anaesthetic action, pressure reversal, Barbiturate alteration of respiratory rhythm and drive in isolated brainstem–spinal cord of newborn rat: studies at normal and hyperbaric pressure, TARASIUK, A., *et al.* 88–96
Toxicity, fetal, Effects of nitrous oxide on day 9 rat embryos grown in culture, BADEN, J. M., *et al.* 500–503
Toxicity, local anaesthetics, Neurological complications following with use of continuous extradural analgesia with bupivacaine, DUNNE, N. M., *et al.* 617–619
Toxicity, oxygen, An early marker of hyperoxic lung injury in the rat and its pharmacological modulation, O'CONNELL, M. J., *et al.* 697–702
Transfusion, autotransfusion, Blood conservation, TURNER, D. A. B., (*E*) 281–284
Transfusion, stored blood, Blood conservation, TURNER, D. A. B., (*E*) 281–284

Uterus, blood flow, Uteroplacental and fetal haemodynamics during extradural anaesthesia for Caesarean section, ALAHUHTA, S., *et al.* 319–323

Ventilation, continuous positive pressure, Use of continuous positive airway pressure in paediatric dental extraction under general anaesthesia, SURESH, D., *et al.* 200–204
Ventilation, controlled, Efficiency of an enclosed afferent reservoir breathing system during controlled ventilation, DROPPERT, P. M., *et al.* 638–642
——, The Humphry ADE system: evaluation in paediatric use, ORLIKOWSKI, C. E. P., *et al.* 253–257
Ventilation, effects, Effect of ventilation and cardiac output on the uptake of anaesthetic agents from different breathing systems: a theoretical study, LOCKWOOD, G. G., *et al.* 519–526
Ventilation, high frequency jet, Anaesthetic management of a 2-month-old infant for laser resection of vocal cord granuloma, TSUI, S. L., *et al.* 134–137
Ventilation, high frequency oscillation, High frequency ventilation, SIDHU, V. S., *et al.*, (*C*) 630
——, High frequency ventilation, SMITH, B. E., (*C*) 630
Ventilation, hypoxic response, Effect of i.v. midazolam on the ventilatory response to sustained hypoxia in man, DAHAN, A., *et al.* 454–457
Ventilation, ribcage, Cranio–caudal movement of the sternum on induction of anaesthesia, LOGAN, M. R., *et al.* 433–436
——, Respiratory function and rib cage contribution to ventilation in body positions commonly used during anaesthesia, LUMB, A. B., *et al.*, (*ARS*) 394–395P
Ventilation, spontaneous, The Humphry ADE system: evaluation in paediatric use, ORLIKOWSKI, C. E. P., *et al.* 253–257
Ventilation/Blood Flow and Gas Exchange, 5th Edn, WEST, J. B., (*R*) 276
Vitamins, B_{12}, Dimethylthiourea is not necessary to prevent the effects of nitrous oxide inactivation of methionine synthase, KOBLIN, D. D., (*C*) 275
——, Nitrous oxide and formiminoglutamic acid: excretion in surgical patients and anaesthetists, ARMSTRONG, P., *et al.* 163–169
Vitamins, folic acid, Nitrous oxide and formiminoglutamic acid: excretion in surgical patients and anaesthetists, ARMSTRONG, P., *et al.* 163–169
Vomiting, antiemetics, Is self-stimulaton of P6 feasible as an antiemetic in cancer chemotherapy? MCMILLAN, C., *et al.*, (*ARS*) 410P
——, Transdermal hyoscine and postoperative nausea and vomiting, HENDLEY, B. J., (*C*) 415
——, Transdermal hyoscine and postoperative nausea and vomiting, KOSKI, E. M. J., (*C*) 415
Vomiting, nausea, Transdermal hyoscine and postoperative nausea and vomiting, HENDLEY, B. J., (*C*) 415
——, Transdermal hyoscine and postoperative nausea and vomiting, KOSKI, E. M. J., (*C*) 415